



SPAHR METRIC, INC.

YOUR DIRECT SOURCE FOR METRIC STEEL & FASTENERS


Metric I Beam HEA

Material Available: CARBON STEEL - S235JR / S355JO / S355J2 - EN 10025

Stainless Steel - 304, 304L, 316

Available in 3 meter and 6 meter lengths

All sizes shown may not be in stock, please call us for more information



Description	Profile Size	Dimension h	Dimension b	Dimension s	Thickness t	Weight	Finish Options						Length Options	
							S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	100 mm	96 mm	100 mm	5 mm	8 mm	16.7 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	120 mm	114 mm	120 mm	5 mm	8 mm	19.9 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	140 mm	133 mm	140 mm	5.5 mm	8.5 mm	24.7 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	160 mm	152 mm	160 mm	6 mm	9 mm	30.4 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	180 mm	171 mm	180 mm	6 mm	9.5 mm	35.5 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	200 mm	190 mm	200 mm	6.5 mm	10 mm	42.3 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	220 mm	210 mm	220 mm	7 mm	11 mm	50.5 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	240 mm	230 mm	240 mm	7.5 mm	12 mm	60.3 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	260 mm	250 mm	260 mm	7.5 mm	12.5 mm	68.2 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	280 mm	270 mm	280 mm	8 mm	13 mm	76.4 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	300 mm	290 mm	300 mm	8.5 mm	14 mm	88.3 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	320 mm	310 mm	300 mm	9 mm	15.5 mm	97.6 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	340 mm	330 mm	300 mm	9.5 mm	16.5 mm	105 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	360 mm	350 mm	300 mm	10 mm	17.5 mm	112 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	400 mm	390 mm	300 mm	11 mm	19 mm	125 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	450 mm	440 mm	300 mm	11.5 mm	21 mm	140 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	500 mm	490 mm	300 mm	12 mm	23 mm	155 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	550 mm	540 mm	300 mm	12.5 mm	24 mm	166 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	600 mm	590 mm	300 mm	13 mm	25 mm	178 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	650 mm	640 mm	300 mm	13.5 mm	26 mm	190 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	700 mm	690 mm	300 mm	14.5 mm	27 mm	204 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter

Metric I Beam HEA	800 mm	790 mm	300 mm	15 mm	28 mm	224 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	900 mm	890 mm	300 mm	16 mm	30 mm	252 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	1000 mm	990 mm	300 mm	16.5 mm	31 mm	272 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter

Spahr Metric Inc

421 McGhee Rd

Winchester, VA 22603

Phone: 800-858-3139

Fax: 540-678-3819

web: www.spahrmetric.com

Matthew Mowery - email: mmowery@spahrmetric.com

Tiffany Perez - email: tperez@spahrmetric.com

Chantal Aeschbach - email: caeschbach@spahrmetric.com