



SPAHR METRIC, INC.

YOUR DIRECT SOURCE FOR METRIC STEEL & FASTENERS

Metric Carbon Steel Flat Bar


Material Available: Carbon Steel - S235JRC+C - EN 10277-2/ EN 10278

Werkstoff 1.0122 Tolerance h11 - 1008-1018

Available in 3m and 6m lengths

Also available in Aluminum and Stainless Steel finishes

All sizes shown may not be in stock, please call us for more information



Description	Width - A	Height - B	Weight	Finish	Length Options	
Metric Carbon Steel Flat Bar	4mm	3 mm	.9 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	5 mm	2 mm	.8 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	5 mm	3 mm	.12 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	5 mm	4 mm	.16 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	6 mm	2 mm	.09 kg/g	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	6 mm	3 mm	.14 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	6 mm	4 mm	.19 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	6 mm	5 mm	.24 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	7 mm	2 mm	.11 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	7 mm	3 mm	.17 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	7 mm	5 mm	.28 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	8 mm	1.5 mm	.09 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	8 mm	2 mm	.13 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	8 mm	2.5 mm	.16 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	8 mm	3 mm	.19 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	8 mm	4 mm	.25 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	8 mm	5 mm	.31 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	8 mm	6 mm	.38 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	8 mm	7 mm	.44 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	9 mm	4 mm	.28 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter

Metric Carbon Steel Flat Bar	350 mm	20 mm	54.95 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	350 mm	25 mm	68.69 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	350 mm	30mm	82.43 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	350 mm	40 mm	109.9 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	400 mm	10 mm	31.4 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	400 mm	12 mm	37.68 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	400 mm	15 mm	47.1 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	400 mm	20 mm	62.8 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	400 mm	25 mm	78.5 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter
Metric Carbon Steel Flat Bar	400 mm	30mm	94.2 kg/m	Carbon Steel - S235JRC+C - tol h11 - 1008-1018	3 meter	6 meter

Spahr Metric Inc	Phone: 800-858-3139	Matthew Mowery - email: mmowery@spahrmetric.com
421 McGhee Rd	Fax: 540-678-3819	Tiffany Perez - email: tperez@spahrmetric.com
Winchester, VA 22603	web: www.spahrmetric.com	Chantal Aeschbach - email: caeschbach@spahrmetric.com