



SPAHR METRIC, INC.

YOUR DIRECT SOURCE FOR METRIC STEEL & FASTENERS


Metric Cold Finished Round Bar

Material Available: Carbon Steel - 9SMnPb28 - EN 10277 / EN 10278

Werkstoff 1.0718 Tolerance h9 / h10 -12L14

Available in 3 meter and 6 meter lengths

All sizes shown may not be in stock, please call us for more information



Description	Dimension	Weight	Finish	Length Options	
Metric Cold Finished Round Bar	2 mm	.030 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 12L14	3 meter	6 meter
Metric Cold Finished Round Bar	2.5 mm	.040 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 12L14	3 meter	6 meter
Metric Cold Finished Round Bar	3 mm	.060 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 12L14	3 meter	6 meter
Metric Cold Finished Round Bar	3.5 mm	.080 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 12L14	3 meter	6 meter
Metric Cold Finished Round Bar	4 mm	.100 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 12L14	3 meter	6 meter
Metric Cold Finished Round Bar	4.5 mm	.130 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 12L14	3 meter	6 meter
Metric Cold Finished Round Bar	5 mm	.150 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 12L14	3 meter	6 meter
Metric Cold Finished Round Bar	5.5 mm	.190 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 12L14	3 meter	6 meter
Metric Cold Finished Round Bar	6 mm	.220 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 12L14	3 meter	6 meter
Metric Cold Finished Round Bar	6.5 mm	.260 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 12L14	3 meter	6 meter
Metric Cold Finished Round Bar	7 mm	.300 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 12L14	3 meter	6 meter
Metric Cold Finished Round Bar	7.5 mm	.350 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 12L14	3 meter	6 meter
Metric Cold Finished Round Bar	8 mm	.400 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 12L14	3 meter	6 meter
Metric Cold Finished Round Bar	8.5 mm	.450 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 12L14	3 meter	6 meter
Metric Cold Finished Round Bar	9 mm	.500 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 12L14	3 meter	6 meter
Metric Cold Finished Round Bar	9.5 mm	.560 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 12L14	3 meter	6 meter
Metric Cold Finished Round Bar	10 mm	.620 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 12L14	3 meter	6 meter
Metric Cold Finished Round Bar	10.5 mm	.680 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 12L14	3 meter	6 meter
Metric Cold Finished Round Bar	11 mm	.750 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 12L14	3 meter	6 meter
Metric Cold Finished Round Bar	12 mm	.880 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 12L14	3 meter	6 meter
Metric Cold Finished Round Bar	12.5 mm	.960 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 12L14	3 meter	6 meter



SPAHR METRIC, INC.

YOUR DIRECT SOURCE FOR METRIC STEEL & FASTENERS


Metric Cold Finished Round Bar

Material Available: Carbon Steel - S235JRC+C/SH - EN 10277 / EN 10278

Werkstoff 1.0122 Tolerance h9 / h10 - (1008-1018)

Available in 3 meter and 6 meter lengths

All sizes shown may not be in stock, please call us for more information



Description	Dimension	Weight	Finish	Length Options	
				3 meter	6 meter
Metric Cold Finished Round Bar	2 mm	.030 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1018	3 meter	6 meter
Metric Cold Finished Round Bar	2.5 mm	.040 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1018	3 meter	6 meter
Metric Cold Finished Round Bar	3 mm	.060 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1018	3 meter	6 meter
Metric Cold Finished Round Bar	3.5 mm	.080 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1018	3 meter	6 meter
Metric Cold Finished Round Bar	4 mm	.100 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1018	3 meter	6 meter
Metric Cold Finished Round Bar	4.5 mm	.130 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1018	3 meter	6 meter
Metric Cold Finished Round Bar	5 mm	.150 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1018	3 meter	6 meter
Metric Cold Finished Round Bar	5.5 mm	.190 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1018	3 meter	6 meter
Metric Cold Finished Round Bar	6 mm	.220 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1018	3 meter	6 meter
Metric Cold Finished Round Bar	6.5 mm	.260 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1018	3 meter	6 meter
Metric Cold Finished Round Bar	7 mm	.300 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1018	3 meter	6 meter
Metric Cold Finished Round Bar	7.5 mm	.350 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1018	3 meter	6 meter
Metric Cold Finished Round Bar	8 mm	.400 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1018	3 meter	6 meter
Metric Cold Finished Round Bar	8.5 mm	.450 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1018	3 meter	6 meter
Metric Cold Finished Round Bar	9 mm	.500 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1018	3 meter	6 meter
Metric Cold Finished Round Bar	9.5 mm	.560 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1018	3 meter	6 meter
Metric Cold Finished Round Bar	10 mm	.620 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1018	3 meter	6 meter
Metric Cold Finished Round Bar	10.5 mm	.680 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1018	3 meter	6 meter
Metric Cold Finished Round Bar	11 mm	.750 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1018	3 meter	6 meter
Metric Cold Finished Round Bar	12 mm	.880 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1018	3 meter	6 meter
Metric Cold Finished Round Bar	12.5 mm	.960 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1018	3 meter	6 meter



SPAHR METRIC, INC.

YOUR DIRECT SOURCE FOR METRIC STEEL & FASTENERS


Metric Cold Finished Round Bar

Material Available: Carbon Steel - EN 10277 / EN 10278

Werkstoff 1.0718 Tolerance h6 - 12L14(TG&P)

Available in 3 meter and 6 meter lengths

All sizes shown may not be in stock, please call us for more information



Description	Dimension	Weight	Finish	Length Options	
				3 meter	6 meter
Metric Cold Finished Round Bar	2 mm	.030 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 12L14(TG&P)	3 meter	6 meter
Metric Cold Finished Round Bar	2.5 mm	.040 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 12L14(TG&P)	3 meter	6 meter
Metric Cold Finished Round Bar	3 mm	.060 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 12L14(TG&P)	3 meter	6 meter
Metric Cold Finished Round Bar	3.5 mm	.080 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 12L14(TG&P)	3 meter	6 meter
Metric Cold Finished Round Bar	4 mm	.100 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 12L14(TG&P)	3 meter	6 meter
Metric Cold Finished Round Bar	4.5 mm	.130 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 12L14(TG&P)	3 meter	6 meter
Metric Cold Finished Round Bar	5 mm	.150 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 12L14(TG&P)	3 meter	6 meter
Metric Cold Finished Round Bar	5.5 mm	.190 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 12L14(TG&P)	3 meter	6 meter
Metric Cold Finished Round Bar	6 mm	.220 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 12L14(TG&P)	3 meter	6 meter
Metric Cold Finished Round Bar	6.5 mm	.260 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 12L14(TG&P)	3 meter	6 meter
Metric Cold Finished Round Bar	7 mm	.300 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 12L14(TG&P)	3 meter	6 meter
Metric Cold Finished Round Bar	7.5 mm	.350 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 12L14(TG&P)	3 meter	6 meter
Metric Cold Finished Round Bar	8 mm	.400 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 12L14(TG&P)	3 meter	6 meter
Metric Cold Finished Round Bar	8.5 mm	.450 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 12L14(TG&P)	3 meter	6 meter
Metric Cold Finished Round Bar	9 mm	.500 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 12L14(TG&P)	3 meter	6 meter
Metric Cold Finished Round Bar	9.5 mm	.560 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 12L14(TG&P)	3 meter	6 meter
Metric Cold Finished Round Bar	10 mm	.620 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 12L14(TG&P)	3 meter	6 meter
Metric Cold Finished Round Bar	10.5 mm	.680 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 12L14(TG&P)	3 meter	6 meter
Metric Cold Finished Round Bar	11 mm	.750 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 12L14(TG&P)	3 meter	6 meter
Metric Cold Finished Round Bar	12 mm	.880 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 12L14(TG&P)	3 meter	6 meter
Metric Cold Finished Round Bar	12.5 mm	.960 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 12L14(TG&P)	3 meter	6 meter



SPAHR METRIC, INC.

YOUR DIRECT SOURCE FOR METRIC STEEL & FASTENERS


Metric Cold Finished Round Bar

Material Available: Carbon Steel - C45 - EN 10277 / EN 10278

Werkstoff 1.1191 Tolerance h9 / h10 - 1045

Available in 3 meter and 6 meter lengths

All sizes shown may not be in stock, please call us for more information



Description	Dimension	Weight	Finish	Length Options	
Metric Cold Finished Round Bar	2 mm	.03 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1045	3 meter	6 meter
Metric Cold Finished Round Bar	2.5 mm	.04 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1045	3 meter	6 meter
Metric Cold Finished Round Bar	3 mm	.06 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1045	3 meter	6 meter
Metric Cold Finished Round Bar	3.5 mm	.08 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1045	3 meter	6 meter
Metric Cold Finished Round Bar	4 mm	.10 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1045	3 meter	6 meter
Metric Cold Finished Round Bar	4.5 mm	.13 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1045	3 meter	6 meter
Metric Cold Finished Round Bar	5 mm	.15 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1045	3 meter	6 meter
Metric Cold Finished Round Bar	5.5 mm	.19 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1045	3 meter	6 meter
Metric Cold Finished Round Bar	6 mm	.22 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1045	3 meter	6 meter
Metric Cold Finished Round Bar	6.5 mm	.26 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1045	3 meter	6 meter
Metric Cold Finished Round Bar	7 mm	.300 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1045	3 meter	6 meter
Metric Cold Finished Round Bar	7.5 mm	.350 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1045	3 meter	6 meter
Metric Cold Finished Round Bar	8 mm	.400 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1045	3 meter	6 meter
Metric Cold Finished Round Bar	8.5 mm	.450 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1045	3 meter	6 meter
Metric Cold Finished Round Bar	9 mm	.500 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1045	3 meter	6 meter
Metric Cold Finished Round Bar	9.5 mm	.560 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1045	3 meter	6 meter
Metric Cold Finished Round Bar	10 mm	.620 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1045	3 meter	6 meter
Metric Cold Finished Round Bar	10.5 mm	.680 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1045	3 meter	6 meter
Metric Cold Finished Round Bar	11 mm	.750 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1045	3 meter	6 meter
Metric Cold Finished Round Bar	12 mm	.880 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1045	3 meter	6 meter
Metric Cold Finished Round Bar	12.5 mm	.960 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 1045	3 meter	6 meter



SPAHR METRIC, INC.

YOUR DIRECT SOURCE FOR METRIC STEEL & FASTENERS


Metric Cold Finished Round Bar

Material Available: Carbon Steel - C45 - EN 10277 / EN 10278

Werkstoff 1.1191 Tolerance h6 - 1045(TG+P)

Available in 3 meter and 6 meter lengths

All sizes shown may not be in stock, please call us for more information



Description	Dimension	Weight	Finish	Length Options	
				3 meter	6 meter
Metric Cold Finished Round Bar	2 mm	.030 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 1045(TG+P)	3 meter	6 meter
Metric Cold Finished Round Bar	2.5 mm	.040 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 1045(TG+P)	3 meter	6 meter
Metric Cold Finished Round Bar	3 mm	.060 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 1045(TG+P)	3 meter	6 meter
Metric Cold Finished Round Bar	3.5 mm	.080 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 1045(TG+P)	3 meter	6 meter
Metric Cold Finished Round Bar	4 mm	.100 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 1045(TG+P)	3 meter	6 meter
Metric Cold Finished Round Bar	4.5 mm	.130 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 1045(TG+P)	3 meter	6 meter
Metric Cold Finished Round Bar	5 mm	.150 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 1045(TG+P)	3 meter	6 meter
Metric Cold Finished Round Bar	5.5 mm	.190 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 1045(TG+P)	3 meter	6 meter
Metric Cold Finished Round Bar	6 mm	.220 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 1045(TG+P)	3 meter	6 meter
Metric Cold Finished Round Bar	6.5 mm	.260 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 1045(TG+P)	3 meter	6 meter
Metric Cold Finished Round Bar	7 mm	.300 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 1045(TG+P)	3 meter	6 meter
Metric Cold Finished Round Bar	7.5 mm	.350 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 1045(TG+P)	3 meter	6 meter
Metric Cold Finished Round Bar	8 mm	.400 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 1045(TG+P)	3 meter	6 meter
Metric Cold Finished Round Bar	8.5 mm	.450 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 1045(TG+P)	3 meter	6 meter
Metric Cold Finished Round Bar	9 mm	.500 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 1045(TG+P)	3 meter	6 meter
Metric Cold Finished Round Bar	9.5 mm	.560 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 1045(TG+P)	3 meter	6 meter
Metric Cold Finished Round Bar	10 mm	.620 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 1045(TG+P)	3 meter	6 meter
Metric Cold Finished Round Bar	10.5 mm	.680 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 1045(TG+P)	3 meter	6 meter
Metric Cold Finished Round Bar	11 mm	.750 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 1045(TG+P)	3 meter	6 meter
Metric Cold Finished Round Bar	12 mm	.880 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 1045(TG+P)	3 meter	6 meter
Metric Cold Finished Round Bar	12.5 mm	.960 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h6 - 1045(TG+P)	3 meter	6 meter



SPAHR METRIC, INC.

YOUR DIRECT SOURCE FOR METRIC STEEL & FASTENERS


Metric Cold Finished Round Bar

Material Available: Carbon Steel - 42CrMo4 EN 10277 / EN 10278

Werkstoff 1.7223 Tolerance h9 / h10 - 4140

Available in 3 meter and 6 meter lengths

All sizes shown may not be in stock, please call us for more information



Description	Dimension	Weight	Finish	Length Options	
Metric Cold Finished Round Bar	2 mm	.03 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 4140	3 meter	6 meter
Metric Cold Finished Round Bar	2.5 mm	.04 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 4140	3 meter	6 meter
Metric Cold Finished Round Bar	3 mm	.06 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 4140	3 meter	6 meter
Metric Cold Finished Round Bar	3.5 mm	.08 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 4140	3 meter	6 meter
Metric Cold Finished Round Bar	4 mm	.10 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 4140	3 meter	6 meter
Metric Cold Finished Round Bar	4.5 mm	.13 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 4140	3 meter	6 meter
Metric Cold Finished Round Bar	5 mm	.15 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 4140	3 meter	6 meter
Metric Cold Finished Round Bar	5.5 mm	.19 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 4140	3 meter	6 meter
Metric Cold Finished Round Bar	6 mm	.22 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 4140	3 meter	6 meter
Metric Cold Finished Round Bar	6.5 mm	.26 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 4140	3 meter	6 meter
Metric Cold Finished Round Bar	7 mm	.30 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 4140	3 meter	6 meter
Metric Cold Finished Round Bar	7.5 mm	.35 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 4140	3 meter	6 meter
Metric Cold Finished Round Bar	8 mm	.40 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 4140	3 meter	6 meter
Metric Cold Finished Round Bar	8.5 mm	.45 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 4140	3 meter	6 meter
Metric Cold Finished Round Bar	9 mm	.50 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 4140	3 meter	6 meter
Metric Cold Finished Round Bar	9.5 mm	.56 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 4140	3 meter	6 meter
Metric Cold Finished Round Bar	10 mm	.62 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 4140	3 meter	6 meter
Metric Cold Finished Round Bar	10.5 mm	.68 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 4140	3 meter	6 meter
Metric Cold Finished Round Bar	11 mm	.75 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 4140	3 meter	6 meter
Metric Cold Finished Round Bar	12 mm	.88 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 4140	3 meter	6 meter
Metric Cold Finished Round Bar	12.5 mm	.96 kg/m	Carbon Steel - EN 10277 / EN 10278 - tolerance h9 / h10 - 4140	3 meter	6 meter



SPAHR METRIC, INC.

YOUR DIRECT SOURCE FOR METRIC STEEL & FASTENERS


Metric Stainless Steel Round Bar

Material Available: Stainless Steel - X2CrNi18-10 -EN 10278

Werkstoff 1.4301 Tolerance h9 - 304

Available in 3 meter and 6 meter lengths

All sizes shown may not be in stock, please call us for more information



Description	Dimension	Weight	Finish	Length Options	
				3 meter	6 meter
Metric Stainless Steel Round Bar	2 mm	.030 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 304	3 meter	6 meter
Metric Stainless Steel Round Bar	2.5 mm	.040 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 304	3 meter	6 meter
Metric Stainless Steel Round Bar	3 mm	.060 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 304	3 meter	6 meter
Metric Stainless Steel Round Bar	3.5 mm	.080 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 304	3 meter	6 meter
Metric Stainless Steel Round Bar	4 mm	.100 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 304	3 meter	6 meter
Metric Stainless Steel Round Bar	4.5 mm	.130 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 304	3 meter	6 meter
Metric Stainless Steel Round Bar	5 mm	.150 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 304	3 meter	6 meter
Metric Stainless Steel Round Bar	5.5 mm	.190 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 304	3 meter	6 meter
Metric Stainless Steel Round Bar	6 mm	.220 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 304	3 meter	6 meter
Metric Stainless Steel Round Bar	6.5 mm	.260 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 304	3 meter	6 meter
Metric Stainless Steel Round Bar	7 mm	.300 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 304	3 meter	6 meter
Metric Stainless Steel Round Bar	7.5 mm	.350 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 304	3 meter	6 meter
Metric Stainless Steel Round Bar	8 mm	.400 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 304	3 meter	6 meter
Metric Stainless Steel Round Bar	8.5 mm	.450 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 304	3 meter	6 meter
Metric Stainless Steel Round Bar	9 mm	.500 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 304	3 meter	6 meter
Metric Stainless Steel Round Bar	9.5 mm	.560 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 304	3 meter	6 meter
Metric Stainless Steel Round Bar	10 mm	.620 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 304	3 meter	6 meter
Metric Stainless Steel Round Bar	10.5 mm	.680 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 304	3 meter	6 meter
Metric Stainless Steel Round Bar	11 mm	.750 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 304	3 meter	6 meter
Metric Stainless Steel Round Bar	12 mm	.880 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 304	3 meter	6 meter
Metric Stainless Steel Round Bar	12.5 mm	.960 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 304	3 meter	6 meter



SPAHR METRIC, INC.

YOUR DIRECT SOURCE FOR METRIC STEEL & FASTENERS


Metric Stainless Steel Round Bar

Material Available: Stainless Steel - X8CrNiS18-9 - EN 10278

Werkstoff 1.4305 Tolerance h9 - 303

Available in 3 meter and 6 meter lengths

All sizes hown may not be in stock, please call us for more information



Description	Dimension	Weight	Finish	Length Options	
Metric Stainless Steel Round Bar	2 mm	.03 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 303	3 meter	6 meter
Metric Stainless Steel Round Bar	2.5 mm	.04 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 303	3 meter	6 meter
Metric Stainless Steel Round Bar	3 mm	.06 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 303	3 meter	6 meter
Metric Stainless Steel Round Bar	3.5 mm	.08 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 303	3 meter	6 meter
Metric Stainless Steel Round Bar	4 mm	.10 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 303	3 meter	6 meter
Metric Stainless Steel Round Bar	4.5 mm	.13 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 303	3 meter	6 meter
Metric Stainless Steel Round Bar	5 mm	.15 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 303	3 meter	6 meter
Metric Stainless Steel Round Bar	5.5 mm	.19 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 303	3 meter	6 meter
Metric Stainless Steel Round Bar	6 mm	.22 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 303	3 meter	6 meter
Metric Stainless Steel Round Bar	6.5 mm	.26 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 303	3 meter	6 meter
Metric Stainless Steel Round Bar	7 mm	.30 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 303	3 meter	6 meter
Metric Stainless Steel Round Bar	7.5 mm	.35 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 303	3 meter	6 meter
Metric Stainless Steel Round Bar	8 mm	.40 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 303	3 meter	6 meter
Metric Stainless Steel Round Bar	8.5 mm	.45 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 303	3 meter	6 meter
Metric Stainless Steel Round Bar	9 mm	.50 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 303	3 meter	6 meter
Metric Stainless Steel Round Bar	9.5 mm	.56 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 303	3 meter	6 meter
Metric Stainless Steel Round Bar	10 mm	.62 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 303	3 meter	6 meter
Metric Stainless Steel Round Bar	10.5 mm	.68 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 303	3 meter	6 meter
Metric Stainless Steel Round Bar	11 mm	.75 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 303	3 meter	6 meter
Metric Stainless Steel Round Bar	12 mm	.88 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 303	3 meter	6 meter
Metric Stainless Steel Round Bar	12.5 mm	.96 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 303	3 meter	6 meter



SPAHR METRIC, INC.

YOUR DIRECT SOURCE FOR METRIC STEEL & FASTENERS


Metric Stainless Steel Round Bar

Material Available: Stainless Steel - X5CrNiMo17-12 -EN 10278

Werkstoff 1.4436 Tolerance h9 - 316

Available in 3 meter and 6 meter lengths

All sizes hown may not be in stock, please call us for more information



Description	Dimension	Weight	Finish	Length Options	
Metric Stainless Steel Round Bar	2 mm	.03 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 316	3 meter	6 meter
Metric Stainless Steel Round Bar	2.5 mm	.04 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 316	3 meter	6 meter
Metric Stainless Steel Round Bar	3 mm	.06 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 316	3 meter	6 meter
Metric Stainless Steel Round Bar	3.5 mm	.08 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 316	3 meter	6 meter
Metric Stainless Steel Round Bar	4 mm	.10 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 316	3 meter	6 meter
Metric Stainless Steel Round Bar	4.5 mm	.13 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 316	3 meter	6 meter
Metric Stainless Steel Round Bar	5 mm	.15 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 316	3 meter	6 meter
Metric Stainless Steel Round Bar	5.5 mm	.19 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 316	3 meter	6 meter
Metric Stainless Steel Round Bar	6 mm	.22 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 316	3 meter	6 meter
Metric Stainless Steel Round Bar	6.5 mm	.26 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 316	3 meter	6 meter
Metric Stainless Steel Round Bar	7 mm	.30 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 316	3 meter	6 meter
Metric Stainless Steel Round Bar	7.5 mm	.35 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 316	3 meter	6 meter
Metric Stainless Steel Round Bar	8 mm	.40 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 316	3 meter	6 meter
Metric Stainless Steel Round Bar	8.5 mm	.45 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 316	3 meter	6 meter
Metric Stainless Steel Round Bar	9 mm	.50 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 316	3 meter	6 meter
Metric Stainless Steel Round Bar	9.5 mm	.56 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 316	3 meter	6 meter
Metric Stainless Steel Round Bar	10 mm	.62 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 316	3 meter	6 meter
Metric Stainless Steel Round Bar	10.5 mm	.68 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 316	3 meter	6 meter
Metric Stainless Steel Round Bar	11 mm	.75 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 316	3 meter	6 meter
Metric Stainless Steel Round Bar	12 mm	.88 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 316	3 meter	6 meter
Metric Stainless Steel Round Bar	12.5 mm	.96 kg/m	Stainless Steel - EN 10278 - tolerance h9 - 316	3 meter	6 meter

