



SPAHR METRIC, INC.

YOUR DIRECT SOURCE FOR METRIC STEEL & FASTENERS


Metric Hot Rolled Angle - Unequal

Material Available: CARBON STEEL - S235JR / EN 10025 - Similar to A-36

Available in 3 meter and 6 meter lengths

Other materials and finishes available

All sizes shown may not be in stock, please call us for more information



| Description | Height - a | Length - b | Thickness - t | Weight | Finish | Length Options | |
|-------------------------|------------|------------|---------------|-----------|--|----------------|---------|
| | | | | | | | |
| Metric Hot Rolled Angle | 30 mm | 20 mm | 3 mm | 1.11 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 30 mm | 20 mm | 4 mm | 1.45 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 40 mm | 20 mm | 3 mm | 1.35 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 40 mm | 20 mm | 4 mm | 1.77 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 40 mm | 25 mm | 4 mm | 1.90 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 45 mm | 30 mm | 4 mm | 2.25 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 45 mm | 30 mm | 5 mm | 2.77 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 50 mm | 30 mm | 4 mm | 2.40 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 50 mm | 30 mm | 5 mm | 2.96 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 50 mm | 40 mm | 5 mm | 3.35 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 60 mm | 30 mm | 5 mm | 3.37 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 60 mm | 30 mm | 6 mm | 3.98 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 60 mm | 30 mm | 7 mm | 4.59 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 60 mm | 40 mm | 5 mm | 3.76 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 60 mm | 40 mm | 6 mm | 4.46 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 60 mm | 40 mm | 7 mm | 5.14 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 65 mm | 50 mm | 6 mm | 5.29 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 70 mm | 50 mm | 6 mm | 5.40 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 70 mm | 50 mm | 7 mm | 6.25 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 75 mm | 50 mm | 6 mm | 5.64 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 75 mm | 50 mm | 7 mm | 6.54 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |

| | | | | | | | |
|-------------------------|--------|--------|-------|------------|--|---------|---------|
| Metric Hot Rolled Angle | 80 mm | 40 mm | 6 mm | 5.41 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 80 mm | 40 mm | 8 mm | 7.07 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 80 mm | 60 mm | 8 mm | 8.34 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 90 mm | 60 mm | 6 mm | 6.82 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 90 mm | 60 mm | 8 mm | 8.96 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 100 mm | 50 mm | 6 mm | 6.85 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 100 mm | 50 mm | 8 mm | 8.99 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 100 mm | 50 mm | 10 mm | 11.07 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 100 mm | 65 mm | 7 mm | 8.83 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 100 mm | 65 mm | 9 mm | 11.15 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 100 mm | 65 mm | 11 mm | 13.42 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 100 mm | 75 mm | 9 mm | 11.80 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 120 mm | 80 mm | 8 mm | 12.20 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 120 mm | 80 mm | 10 mm | 15.00 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 120 mm | 80 mm | 12 mm | 17.82 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 130 mm | 65 mm | 8 mm | 11.90 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 130 mm | 65 mm | 10 mm | 14.60 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 130 mm | 65 mm | 12 mm | 17.35 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 130 mm | 90 mm | 12 mm | 19.70 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 150 mm | 75 mm | 9 mm | 15.30 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 150 mm | 75 mm | 11 mm | 18.60 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 150 mm | 90 mm | 12 mm | 21.60 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 150 mm | 100 mm | 10 mm | 19.00 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 150 mm | 100 mm | 12 mm | 22.53 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 150 mm | 100 mm | 14 mm | 26.06 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 160 mm | 80 mm | 10 mm | 18.19 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 160 mm | 80 mm | 12 mm | 21.59 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 160 mm | 80 mm | 14 mm | 24.96 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 200 mm | 100 mm | 10 mm | 22.87 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 200 mm | 100 mm | 12 mm | 27.23 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 200 mm | 100 mm | 14 mm | 31.64 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |
| Metric Hot Rolled Angle | 200 mm | 100 mm | 16 mm | 35.87 kg/m | Carbon Steel S235JR / EN 10025 - Similar to A-36 | 3 meter | 6 meter |

Spahr Metric Inc

Phone: 800-858-3139

Matthew Mowery - email: mmowery@spahrmetric.com

421 McGhee Rd

Fax: 540-678-3819

Tiffany Perez - email: tperez@spahrmetric.com

Winchester, VA 22603

web: www.spahrmetric.com

Chantal Aeschbach - email: caeschbach@spahrmetric.com