



# SPAHR METRIC, INC.

YOUR DIRECT SOURCE FOR METRIC STEEL & FASTENERS


## Metric Cold Finished Hexagon Bar

Material Available: Carbon Steel - SMnPb28 EN 10277-2 / EN 10278

Werkstoff 1.0718 Tolerance h11 / h12 - 12L14

Available in 3 meter and 6 meter lengths

All sizes shown may not be in stock, please call us for more information



Description	Dimension	Weight	Finish	Length Options	
Metric Cold Finished Hex Bar	4 mm	.11 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	5mm	.17 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	6mm	.24 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	7mm	.33 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	8mm	.44 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	9mm	.55 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	10mm	.67 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	11mm	.82 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	12mm	.98 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	13mm	1.15 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	14mm	1.33 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	16mm	1.74 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	17mm	1.97 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	18mm	2.20 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	19mm	2.45 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	20mm	2.72 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	22mm	3.29 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	24mm	3.92 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	25mm	4.25 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	27mm	4.96 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	30mm	6.12 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter

Metric Cold Finished Hex Bar	32mm	6.96 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	36mm	8.81 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	41mm	11.43 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	46mm	14.39 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	50mm	17.00 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	55mm	20.57 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	60mm	24.48 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	65mm	28.72 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	70mm	33.32 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	75mm	38.24 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	80mm	43.51 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	85mm	49.12 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	90mm	55.07 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	95mm	61.36 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter
Metric Cold Finished Hex Bar	100mm	67.98 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11 / h12 - 12L14	3 meter	6 meter

Spahr Metric Inc	Phone: 800-858-3139	Matthew Mowery - email: mmowery@spahrmetric.com
421 McGhee Rd	Fax: 540-678-3819	Tiffany Perez - email: tperez@spahrmetric.com
Winchester, VA 22603	web: www.spahrmetric.com	Chantal Aeschbach - email: caeschbach@spahrmetric.com



# SPAHR METRIC, INC.

YOUR DIRECT SOURCE FOR METRIC STEEL & FASTENERS


## Metric Cold Finished Hexagon Bar

Material Available: Carbon Steel - S235JRC+C EN 10277-2 / EN 10278

Werkstoff 1.0122 Tolerance h11/12 - 1008-1018

Available in 3 meter and 6 meter lengths

All sizes shown may not be in stock, please call us for more information



Description	Dimension	Weight	Finish	Length Options	
				3 meter	6 meter
Metric Cold Finished Hex Bar	4 mm	.11 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	5 mm	.17 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	6 mm	.24 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	7 mm	.33 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	8 mm	.44 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	9 mm	.55 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	10 mm	.67 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	11 mm	.82 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	12 mm	.98 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	13 mm	1.15 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	14 mm	1.33 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	16 mm	1.74 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	17 mm	1.97 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	18 mm	2.2 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	19 mm	2.45 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	20 mm	2.72 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	22 mm	3.29 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	24 mm	3.92 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	25 mm	4.25 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	27 mm	4.96 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	30 mm	6.12 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter

Metric Cold Finished Hex Bar	32 mm	6.96 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	36 mm	8.81 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	41 mm	11.43 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	46 mm	14.39 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	50 mm	17 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	55 mm	20.57 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	60 mm	24.48 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	65 mm	28.72 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	70 mm	33.32 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	75 mm	38.24 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	80 mm	43.51 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	85 mm	49.12 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	90 mm	55.07 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	95 mm	61.36 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter
Metric Cold Finished Hex Bar	100 mm	67.98 kg/m	Carbon Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 1018	3 meter	6 meter

Spahr Metric Inc	Phone: 800-858-3139	Matthew Mowery - email: mmowery@spahrmetric.com
421 McGhee Rd	Fax: 540-678-3819	Tiffany Perez - email: tperez@spahrmetric.com
Winchester, VA 22603	web: www.spahrmetric.com	Chantal Aeschbach - email: caeschbach@spahrmetric.com



# SPAHR METRIC, INC.

YOUR DIRECT SOURCE FOR METRIC STEEL & FASTENERS


## Metric Stainless Steel Hexagon Bar

Material Available: Stainless Steel - X2CrNi18-10 EN 10277-2 / EN 10278

Werkstoff 1.4301 Tolerance h11/12 - 304

Available in 3 meter and 6 meter lengths

All sizes shown may not be in stock, please call us for more information



Description	Dimension	Weight	Finish	Length Options	
Metric Stainless Steel Hex Bar	4 mm	.11 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	5 mm	.17 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	6 mm	.24 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	7 mm	.33 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	8 mm	.44 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	9 mm	.55 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	10 mm	.67 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	11 mm	.82 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	12 mm	.98 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	13 mm	1.15 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	14 mm	1.33 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	16 mm	1.74 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	17 mm	1.97 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	18 mm	2.2 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	19 mm	2.45 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	20 mm	2.72 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	22 mm	3.29 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	24 mm	3.92 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	25 mm	4.25 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	27 mm	4.96 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	30 mm	6.12 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter

Metric Stainless Steel Hex Bar	32 mm	6.96 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	36 mm	8.81 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	41 mm	11.43 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	46 mm	14.39 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	50 mm	17 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	55 mm	20.57 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	60 mm	24.48 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	65 mm	28.72 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	70 mm	33.32 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	75 mm	38.24 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	80 mm	43.51 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	85 mm	49.12 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	90 mm	55.07 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	95 mm	61.36 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Hex Bar	100 mm	67.98 kg/m	Stainless Steel - EN 10277-2 / EN 10278 - tolerance h11/12 - 304	3 meter	6 meter

Spahr Metric Inc	Phone: 800-858-3139	Matthew Mowery - email: mmowery@spahrmetric.com
421 McGhee Rd	Fax: 540-678-3819	Tiffany Perez - email: tperez@spahrmetric.com
Winchester, VA 22603	web: www.spahrmetric.com	Chantal Aeschbach - email: caeschbach@spahrmetric.com