



SPAHR METRIC, INC.

YOUR DIRECT SOURCE FOR METRIC STEEL & FASTENERS


Metric I Beam HEA

Material Available: CARBON STEEL - S235JR / S355JO / S355J2 - EN 10025

Stainless Steel - 304, 304L, 316

Available in 3 meter and 6 meter lengths

All sizes shown may not be in stock, please call us for more information



Description	Profile Size	Dimension h	Dimension b	Dimension s	Thickness t	Weight	Finish Options						Length Options	
							S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	100 mm	96 mm	100 mm	5 mm	8 mm	16.7 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	120 mm	114 mm	120 mm	5 mm	8 mm	19.9 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	140 mm	133 mm	140 mm	5.5 mm	8.5 mm	24.7 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	160 mm	152 mm	160 mm	6 mm	9 mm	30.4 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	180 mm	171 mm	180 mm	6 mm	9.5 mm	35.5 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	200 mm	190 mm	200 mm	6.5 mm	10 mm	42.3 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	220 mm	210 mm	220 mm	7 mm	11 mm	50.5 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	240 mm	230 mm	240 mm	7.5 mm	12 mm	60.3 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	260 mm	250 mm	260 mm	7.5 mm	12.5 mm	68.2 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	280 mm	270 mm	280 mm	8 mm	13 mm	76.4 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	300 mm	290 mm	300 mm	8.5 mm	14 mm	88.3 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	320 mm	310 mm	300 mm	9 mm	15.5 mm	97.6 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	340 mm	330 mm	300 mm	9.5 mm	16.5 mm	105 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	360 mm	350 mm	300 mm	10 mm	17.5 mm	112 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	400 mm	390 mm	300 mm	11 mm	19 mm	125 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	450 mm	440 mm	300 mm	11.5 mm	21 mm	140 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	500 mm	490 mm	300 mm	12 mm	23 mm	155 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	550 mm	540 mm	300 mm	12.5 mm	24 mm	166 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	600 mm	590 mm	300 mm	13 mm	25 mm	178 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	650 mm	640 mm	300 mm	13.5 mm	26 mm	190 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	700 mm	690 mm	300 mm	14.5 mm	27 mm	204 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter

Metric I Beam HEA	800 mm	790 mm	300 mm	15 mm	28 mm	224 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	900 mm	890 mm	300 mm	16 mm	30 mm	252 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEA	1000 mm	990 mm	300 mm	16.5 mm	31 mm	272 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter

Spahr Metric Inc

421 McGhee Rd

Winchester, VA 22603

Phone: 800-858-3139

Fax: 540-678-3819

web: www.spahrmetric.com

Matthew Mowery - email: mmowery@spahrmetric.com

Tiffany Perez - email: tperez@spahrmetric.com

Chantal Aeschbach - email: caeschbach@spahrmetric.com



SPAHR METRIC, INC.

YOUR DIRECT SOURCE FOR METRIC STEEL & FASTENERS


Metric I Beam HEB

Material Available: CARBON STEEL - S235JR / S355JO / S355J2 - EN 10025

Stainless Steel - 304, 304L, 316

Available in 3 meter and 6 meter lengths

All sizes shown may not be in stock, please call us for more information



Description	Profile Size	Dimension h	Dimension b	Dimension s	Thickness t	Weight	Finish Options						Length Options	
							S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEB	100 mm	100 mm	100 mm	6 mm	10 mm	20.4 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEB	120 mm	120 mm	120 mm	6.5 mm	11 mm	26.7 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEB	140 mm	140 mm	140 mm	7 mm	12 mm	33.7 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEB	160 mm	160 mm	160 mm	8 mm	13 mm	42.6 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEB	180 mm	180 mm	180 mm	8.5 mm	14 mm	51.2 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEB	200 mm	200 mm	200 mm	9 mm	15 mm	61.3 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEB	220 mm	220 mm	220 mm	9.5 mm	16 mm	71.5 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEB	240 mm	240 mm	240 mm	10 mm	17 mm	83.2 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEB	260 mm	260 mm	260 mm	10 mm	15 mm	93 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEB	280 mm	280 mm	280 mm	10.5 mm	18 mm	103 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEB	300 mm	300 mm	300 mm	11 mm	19 mm	117 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEB	320 mm	320 mm	300 mm	11.5 mm	20.5 mm	127 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEB	340 mm	340 mm	300 mm	12 mm	21.5 mm	134 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEB	360 mm	360 mm	300 mm	12.5 mm	22.5 mm	142 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEB	400 mm	400 mm	300 mm	13.5 mm	24 mm	155 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEB	450 mm	450 mm	300 mm	14 mm	26 mm	171 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEB	500 mm	500 mm	300 mm	14.5 mm	28 mm	187 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEB	550 mm	550 mm	300 mm	15 mm	29 mm	199 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEB	600 mm	600 mm	300 mm	15.5 mm	30 mm	212 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEB	650 mm	650 mm	300 mm	16 mm	31 mm	225 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEB	700 mm	700 mm	300 mm	17 mm	32 mm	241 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter

Metric I Beam HEB	800 mm	800 mm	300 mm	17.5 mm	33 mm	262 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEB	900 mm	900 mm	300 mm	18.5 mm	35 mm	291 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEB	1000 mm	1000 mm	300 mm	19 mm	36 mm	314 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter

Spahr Metric Inc
421 McGhee Rd
Winchester, VA 22603

Phone: 800-858-3139
Fax: 540-678-3819
web: www.spahrmetric.com

Matthew Mowery - email: mmowery@spahrmetric.com
Tiffany Perez - email: tperez@spahrmetric.com
Chantal Aeschbach - email: caeschbach@spahrmetric.com



SPAHR METRIC, INC.

YOUR DIRECT SOURCE FOR METRIC STEEL & FASTENERS


Metric I Beam HEM

Material Available: CARBON STEEL - S235JR / S355JO / S355J2 - EN 10025

Stainless Steel - 304, 304L, 316

Available in 3 meter and 6 meter lengths

All sizes shown may not be in stock, please call us for more information



Description	Profile Size	Dimension h	Dimension b	Dimension s	Thickness t	Weight	Finish Options						Length Options	
							S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEM	100 mm	120 mm	106 mm	12 mm	20 mm	41.8 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEM	120 mm	140 mm	126 mm	12.5 mm	21 mm	52.1 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEM	140 mm	160 mm	146 mm	13 mm	22 mm	63.2 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEM	160 mm	180 mm	166 mm	14 mm	23 mm	76.2 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEM	180 mm	200 mm	186 mm	14.5 mm	24 mm	88.9 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEM	200 mm	220 mm	206 mm	15 mm	25 mm	103 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEM	220 mm	240 mm	226 mm	15.5 mm	26 mm	117 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEM	240 mm	270 mm	248 mm	18 mm	32 mm	157 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEM	260 mm	290 mm	268 mm	18 mm	32.5 mm	172 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEM	280 mm	310 mm	288 mm	18.5 mm	33 mm	189 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEM	300 mm	340 mm	310 mm	21 mm	39 mm	238 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEM	320 mm	359 mm	309 mm	21 mm	40 mm	245 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEM	340 mm	377 mm	309 mm	21 mm	40 mm	248 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEM	360 mm	395 mm	308 mm	21 mm	40 mm	250 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEM	400 mm	432 mm	307 mm	21 mm	40 mm	256 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEM	450 mm	478 mm	307 mm	21mm	40 mm	263 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEM	500 mm	524 mm	306 mm	21 mm	40 mm	270 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEM	550 mm	572 mm	306 mm	21 mm	40 mm	278 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEM	600 mm	620 mm	305 mm	21 mm	40 mm	285 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEM	650 mm	668 mm	305 mm	21 mm	40 mm	293 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEM	700 mm	716 mm	304 mm	21 mm	40 mm	301 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter

Metric I Beam HEM	800 mm	814 mm	303 mm	21 mm	40 mm	317 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEM	900 mm	910 mm	302 mm	21 mm	40 mm	333 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam HEM	1000 mm	1008 mm	302 mm	21 mm	40 mm	349 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter

Spahr Metric Inc
421 McGhee Rd
Winchester, VA 22603

Phone: 800-858-3139
Fax: 540-678-3819
web: www.spahrmetric.com

Matthew Mowery - email: mmowery@spahrmetric.com
Tiffany Perez - email: tperez@spahrmetric.com
Chantal Aeschbach - email: caeschbach@spahrmetric.com



SPAHR METRIC, INC.

YOUR DIRECT SOURCE FOR METRIC STEEL & FASTENERS


Metric I Beam INP

Material Available: CARBON STEEL - S235JR / S355JO / S355J2 - EN 10025

Stainless Steel - 304, 304L, 316

Available in 3 meter and 6 meter lengths

All sizes shown may not be in stock, please call us for more information



Description	Profile Size	Dimension h	Dimension b	Dimension s	Thickness t	Weight	Finish Options						Length Options	
							S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam INP	80 mm	80 mm	42 mm	3.9 mm	5.9 mm	6 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam INP	100 mm	100 mm	50 mm	4.5 mm	6.8 mm	8.3 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam INP	120 mm	120 mm	58 mm	5.1 mm	7.7 mm	11.2 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam INP	140 mm	140 mm	66 mm	5.7 mm	8.6 mm	14.3 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam INP	160 mm	160 mm	74 mm	6.3 mm	9.5 mm	17.9 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam INP	180 mm	180 mm	82 mm	6.9 mm	10.4 mm	21.9 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam INP	200 mm	200 mm	90 mm	7.5 mm	11.3 mm	26.2 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam INP	220 mm	220 mm	98 mm	8.1 mm	12.2 mm	31 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam INP	240 mm	240 mm	106 mm	8.7 mm	13.1 mm	36.2 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam INP	260 mm	260 mm	113 mm	9.4 mm	14.1 mm	41.8 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam INP	280 mm	280 mm	119 mm	10.1 mm	15.2 mm	47.9 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam INP	300 mm	300 mm	125 mm	10.8 mm	16.2 mm	54.2 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam INP	320 mm	320 mm	131 mm	11.5 mm	17.3 mm	61 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam INP	340 mm	340 mm	137 mm	12.2 mm	18.3 mm	68.1 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam INP	360 mm	360 mm	143 mm	13 mm	19.5 mm	76.2 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam INP	380 mm	380 mm	149 mm	13.7 mm	20.5 mm	84 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam INP	400 mm	400 mm	155 mm	14.4 mm	21.6 mm	92.6 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam INP	450 mm	450 mm	170 mm	16.2 mm	24.3 mm	115.4 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter

Spahr Metric Inc
421 McGhee Rd
Winchester, VA 22603

Phone: 800-858-3139
Fax: 540-678-3819
web: www.spahrmetric.com

Matthew Mowery - email: mmowery@spahrmetric.com
Tiffany Perez - email: tperez@spahrmetric.com
Chantal Aeschbach - email: caeschbach@spahrmetric.com



SPAHR METRIC, INC.

YOUR DIRECT SOURCE FOR METRIC STEEL & FASTENERS


Metric I Beam IPE

Material Available: CARBON STEEL - S235JR / S355JO / S355J2 - EN 10025

Stainless Steel - 304, 304L, 316

Available in 3 meter and 6 meter lengths

All sizes shown may not be in stock, please call us for more information



Description	Profile Size	Dimension h	Dimension b	Dimension s	Thickness t	Weight	Finish Options						Length Options	
							S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam IPE	80 mm	80 mm	46 mm	3.8 mm	5.2 mm	6 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam IPE	100 mm	100 mm	55 mm	4.1 mm	5.7 mm	8.1 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam IPE	120 mm	120 mm	64 mm	4.4 mm	6.3 mm	10.4 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam IPE	140 mm	140 mm	73 mm	4.7 mm	6.9 mm	12.9 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam IPE	160 mm	160 mm	82 mm	5 mm	7.4 mm	15.8 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam IPE	180 mm	180 mm	91 mm	5.3 mm	8 mm	18.8 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam IPE	200 mm	200 mm	100 mm	5.6 mm	8.5 mm	22.4 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam IPE	220 mm	220 mm	110 mm	5.9 mm	9.2 mm	26.2 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam IPE	240 mm	240 mm	120 mm	6.2 mm	9.8 mm	30.7 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam IPE	270 mm	270 mm	135 mm	6.6 mm	10.2 mm	36.1 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam IPE	300 mm	300 mm	150 mm	7.1 mm	10.7 mm	42.2 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam IPE	330 mm	330 mm	160 mm	7.5 mm	11.5 mm	49.1 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam IPE	360 mm	360 mm	170 mm	8 mm	12.7 mm	57.1 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam IPE	400 mm	400 mm	180 mm	8.6 mm	13.5 mm	66.3 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam IPE	450 mm	450 mm	190 mm	9.4 mm	14.6 mm	77.6 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam IPE	500 mm	500 mm	200 mm	10.2 mm	16 mm	90.7 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam IPE	550 mm	550 mm	210 mm	11.1 mm	17.2 mm	106 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter
Metric I Beam IPE	600 mm	600 mm	220 mm	12 mm	19 mm	122 kg/m	S235JR	S355JO	S355J2	304	304L	316	3 meter	6 meter

Spahr Metric Inc
421 McGhee Rd
Winchester, VA 22603

Phone: 800-858-3139
Fax: 540-678-3819
web: www.spahrmetric.com

Matthew Mowery - email: mmowery@spahrmetric.com
Tiffany Perez - email: tperez@spahrmetric.com
Chantal Aeschbach - email: caeschbach@spahrmetric.com