



# Spahr Metric, Inc Fasteners & Steel

## Surplus Inventory - Misc.

**This document contains a list of Misc. Fasteners and Parts**

Spahr Metric Inc  
421 McGhee Rd  
Winchester, VA 22603

Phone: 800-858-3139  
Fax: 540-678-3819  
web: [www.spahrmetric.com](http://www.spahrmetric.com)

Sales: Office Direct—email: [info@spahrmetric.com](mailto:info@spahrmetric.com)  
Sales: Matt Mowery—email: [mmowery@spahrmetric.com](mailto:mmowery@spahrmetric.com)  
Sales: Tiffany Perez—email: [tperez@spahrmetric.com](mailto:tperez@spahrmetric.com)

Art#	Dimension	Finish	Description	InStock	UOM	\$	per 100 pcs
004962	<b>A 16(8,2x16x0,9]-</b>		Disc Spring	3,285	C	\$	<b>23.77</b>
004962	<b>B31,5(16,3x31,5; Plain</b>		Disc Spring - Steel - Din ~2093	301	C	\$	<b>94.19</b>
005040	<b>3 x 25</b>	Zinc	Sltd Rd Hd Wood Screw - Din 96	2,700	C	\$	<b>3.04</b>
005200	<b>2 x 16</b>	Zinc	Machine Screw - Din 84	652	C	\$	<b>0.55</b>
005200	<b>3 x 10</b>	Zinc	Machine Screw - Din 84	3,700	C	\$	<b>1.48</b>
005200	<b>3 x 12</b>	Zinc	Machine Screw - Din 84	525	C	\$	<b>0.96</b>
005200	<b>3 x 16</b>	Zinc	Machine Screw - Din 84	500	C	\$	<b>1.05</b>
005200	<b>3 x 20</b>	Zinc	Machine Screw - Din 84	3,832	C	\$	<b>1.17</b>
005200	<b>3 x 25</b>	Zinc	Machine Screw - Din 84	525	C	\$	<b>1.34</b>
005200	<b>3 x 28</b>	Zinc	Machine Screw - Din 84	1,298	C	\$	<b>2.98</b>
005200	<b>3 x 3</b>	Zinc	Machine Screw - Din 84	400	C	\$	<b>3.42</b>
005200	<b>3 x 30</b>	Zinc	Machine Screw - Din 84	1,172	C	\$	<b>1.53</b>
005200	<b>3 x 5</b>	Zinc	Machine Screw - Din 84	8,300	C	\$	<b>1.22</b>
005200	<b>3 x 6</b>	Zinc	Machine Screw - Din 84	250	C	\$	<b>1.09</b>
005200	<b>3 x 8</b>	Zinc	Machine Screw - Din 84	900	C	\$	<b>0.60</b>
005200	<b>4 x 16</b>	Zinc	Machine Screw - Din 84	5,993	C	\$	<b>1.00</b>
005200	<b>4 x 20</b>	Zinc	Machine Screw - Din 84	5,675	C	\$	<b>1.07</b>
005200	<b>4 x 25</b>	Zinc	Machine Screw - Din 84	1,250	C	\$	<b>1.14</b>
005200	<b>4 x 30</b>	Zinc	Machine Screw - Din 84	200	C	\$	<b>2.16</b>
005200	<b>4 x 35</b>	Zinc	Machine Screw - Din 84	100	C	\$	<b>2.92</b>
005200	<b>4 x 4</b>	Zinc	Machine Screw - Din 84	5,750	C	\$	<b>0.98</b>
005200	<b>4 x 5</b>	Zinc	Machine Screw - Din 84	5,585	C	\$	<b>1.48</b>
005200	<b>4 x 6</b>	Zinc	Machine Screw - Din 84	31,500	C	\$	<b>1.53</b>
005200	<b>4 x 8</b>	Zinc	Machine Screw - Din 84	3,692	C	\$	<b>1.58</b>
005200	<b>5 x 12</b>	Zinc	Machine Screw - Din 84	850	C	\$	<b>1.32</b>
005200	<b>5 x 16</b>	Zinc	Machine Screw - Din 84	190	C	\$	<b>2.63</b>
005200	<b>5 x 20</b>	Zinc	Machine Screw - Din 84	190	C	\$	<b>3.29</b>
005200	<b>5 x 45</b>	Zinc	Machine Screw - Din 84	200	C	\$	<b>6.38</b>
005200	<b>5 x 8</b>	Zinc	Machine Screw - Din 84	2,000	C	\$	<b>1.18</b>
005200	<b>6 x 16</b>	Zinc	Machine Screw - Din 84	1,160	C	\$	<b>2.27</b>
005200	<b>6 x 20</b>	Zinc	Machine Screw - Din 84	1,031	C	\$	<b>4.04</b>
005200	<b>6 x 35</b>	Zinc	Machine Screw - Din 84	2,150	C	\$	<b>4.23</b>
005200	<b>6 x 50</b>	Zinc	Machine Screw - Din 84	450	C	\$	<b>4.32</b>
005220	<b>3 x 10</b>	Zinc	Slotted Flat Hd Screw- Din 963	893	C	\$	<b>0.67</b>
005220	<b>3 x 16</b>	Zinc	Slotted Flat Hd Screw- Din 963	600	C	\$	<b>1.05</b>
005220	<b>3 x 6</b>	Zinc	Slotted Flat Hd Screw- Din 963	1,200	C	\$	<b>1.39</b>
005220	<b>3 x 8</b>	Zinc	Slotted Flat Hd Screw- Din 963	750	C	\$	<b>0.84</b>
005220	<b>4 x 12</b>	Zinc	Slotted Flat Hd Screw- Din 963	2,954	C	\$	<b>1.77</b>
005220	<b>4 x 16</b>	Zinc	Slotted Flat Hd Screw- Din 963	2,993	C	\$	<b>2.00</b>
005220	<b>5 x 8</b>	Zinc	Slotted Flat Hd Screw- Din 963	500	C	\$	<b>2.89</b>
005530	<b>2,9 x 6,5</b>	Zinc	Slotted Pan Hd Tapping Screw- Din 7971	1,000	C	\$	<b>0.86</b>
005530	<b>4,2 x 16</b>	Zinc	Slotted Pan Hd Tapping Screw- Din 7971	478	C	\$	<b>3.61</b>

005553	<b>5,5 x 25</b>	Zinc	Pozi Drive Phillips Pan Hd Tapping Screw	100	C	\$	<b>5.61</b>
005675	<b>6 x 12 TX 30</b>	Zinc	Flat Head TORX Din 7500M	896	C	\$	<b>6.09</b>
005675	<b>6 x 20 TX 30</b>	Zinc	Flat Head TORX Din 7500M	350	C	\$	<b>16.92</b>
005701	<b>4,2 x 25</b>	Zinc	Pan Head Thread Cutting Screw	500	C	\$	<b>18.80</b>
005707	<b>3 x 10</b>	Zinc	Plas-Fix Pozidrive Pan Head Screw - 45 degree	4,800	C	\$	<b>2.82</b>
005711	<b>K 3 x 10</b>	Zinc	Thread Forming Screw - pan/mushroom Head	5,716	C	\$	<b>5.93</b>
005711	<b>K 5 x 12</b>	Zinc	Thread Forming Screw - pan/mushroom Head	600	C	\$	<b>14.57</b>
005711	<b>K 5 x 20</b>	Zinc	Thread Forming Screw - pan/mushroom Head	500	C	\$	<b>13.03</b>
006060	<b>6 x 40</b>	Zinc	Stand Off w/ int & ext Thread	249	C	\$	<b>247.68</b>
006060	<b>SO-M5-12-Z1</b>	Zinc	Thru Hole Threaded Standoff	4,486	C	\$	<b>30.56</b>
006405	<b>4 x 6</b>	Zinc	Threaded Bushing - Type 307	310	C	\$	<b>85.02</b>
006405	<b>6</b>	Zinc	Threaded Bushing - Type 307	2,042	C	\$	<b>48.66</b>
006405	<b>8 x 9</b>	Zinc	Threaded Bushing - Type 307	1,085	C	\$	<b>75.85</b>
006406	<b>8 x 14</b>	Zinc	Threaded Bushing - Type 308	497	C	\$	<b>62.44</b>
006407	<b>10 x 15 (1,5d)</b>	Stainles:	Filtec Wire Thread Insert - Din 8140A	316	C	\$	<b>60.89</b>
006409	<b>5 x 80</b>	Zinc	Spacer Rod	128	C	\$	<b>125.49</b>
006409	<b>6 x 45</b>	Zinc	Spacer Rod - BN 3319	152	C	\$	<b>125.56</b>
006451	<b>6 x 15</b>	Plain	Flat Knurled Thumb Screw - DIN 653	832	C	\$	<b>116.10</b>
006471	<b>6 x 25</b>	Zinc	Slotted Headless Screw w/Slot	2,850	C	\$	<b>15.26</b>
006705	<b>10-20/10 M 5</b>	Black	Collar - Din 705A	489	C	\$	<b>79.22</b>
006705	<b>12-22/12 M 6</b>	Black	Collar - Din 705A	1,664	C	\$	<b>113.42</b>
006705	<b>14-25 / 12 M6</b>	Black	Collar - Din 705A	696	C	\$	<b>76.08</b>
006705	<b>15/25 x 12 M 6</b>	Black	Collar - Din 705A	635	C	\$	<b>112.02</b>
006705	<b>16-28 x 12 M6</b>	Black	Collar - Din 705A	1,200	C	\$	<b>116.19</b>
006705	<b>20-32/14 M 6</b>	Black	Collar - Din 705A	1,340	C	\$	<b>154.39</b>
006705	<b>25-40/16 M 8</b>	Black	Collar - Din 705A	1,005	C	\$	<b>236.96</b>
006705	<b>30-45/16 M 8</b>	Black	Collar - Din 705A	84	C	\$	<b>329.74</b>
006705	<b>35-56/16 M 8</b>	Black	Collar - Din 705A	289	C	\$	<b>650.30</b>
006705	<b>40 63-18 M 10</b>	Black	Collar - Din 705A	75	C	\$	<b>474.19</b>
006705	<b>50-80/18 M 10</b>	Black	Collar - Din 705A	44	C	\$	<b>1,295.40</b>
006740	<b>10.2 / 17 x 10</b>	Black	Distance Sleeve	3,253	C	\$	<b>44.29</b>
006740	<b>10.2 / 17 x 15</b>	Black	Distance Sleeve	945	C	\$	<b>83.68</b>
006740	<b>10.2 / 17 x 20</b>	Black	Distance Sleeve	2,642	C	\$	<b>51.58</b>
006740	<b>10.2 / 17 x 30</b>	Black	Distance Sleeve	225	C	\$	<b>84.28</b>

006740	<b>10.2 / 17 x 4</b>	Black	Distance Sleeve	1,487	C	\$	<b>62.42</b>
006740	<b>10.2 / 17 x 5</b>	Black	Distance Sleeve	258	C	\$	<b>50.24</b>
006740	<b>10.2 / 17 x 6</b>	Black	Distance Sleeve	1,631	C	\$	<b>39.66</b>
006740	<b>10.2 / 17 x 7</b>	Black	Distance Sleeve	3,054	C	\$	<b>54.09</b>
006740	<b>10.2 / 17 x 8</b>	Black	Distance Sleeve	1,344	C	\$	<b>44.29</b>
006740	<b>12.2 / 18 x 10</b>	Black	Distance Sleeve	1,709	C	\$	<b>54.08</b>
006740	<b>12.2 / 18 x 15</b>	Black	Distance Sleeve	495	C	\$	<b>82.77</b>
006740	<b>12.2 / 18 x 30</b>	Black	Distance Sleeve	86	C	\$	<b>234.99</b>
006740	<b>12.2 / 18 x 4</b>	Black	Distance Sleeve	199	C	\$	<b>44.12</b>
006740	<b>12.2 / 18 x 5</b>	Black	Distance Sleeve	1,357	C	\$	<b>52.75</b>
006740	<b>12.2 / 18 x 6</b>	Black	Distance Sleeve	3,457	C	\$	<b>54.08</b>
006740	<b>12.2 / 18 x 7</b>	Black	Distance Sleeve	396	C	\$	<b>61.15</b>
006740	<b>12.2 / 18 x 8</b>	Black	Distance Sleeve	548	C	\$	<b>72.00</b>
006740	<b>15.2 / 20 x 10</b>	Black	Distance Sleeve	1,193	C	\$	<b>78.91</b>
006740	<b>15.2 / 20 x 15</b>	Black	Distance Sleeve	219	C	\$	<b>77.18</b>
006740	<b>15.2 / 20 x 20</b>	Black	Distance Sleeve	430	C	\$	<b>106.78</b>
006740	<b>15.2 / 20 x 4</b>	Black	Distance Sleeve	510	C	\$	<b>63.41</b>
006740	<b>15.2 / 20 x 5</b>	Black	Distance Sleeve	691	C	\$	<b>86.43</b>
006740	<b>15.2 / 20 x 6</b>	Black	Distance Sleeve	1,515	C	\$	<b>68.71</b>
006740	<b>15.2 / 20 x 7</b>	Black	Distance Sleeve	898	C	\$	<b>90.83</b>
006740	<b>15.2 / 20 x 8</b>	Black	Distance Sleeve	200	C	\$	<b>47.13</b>
006740	<b>17.2 / 25 x 10</b>	Black	Distance Sleeve	476	C	\$	<b>113.11</b>
006740	<b>17.2 / 25 x 15</b>	Black	Distance Sleeve	690	C	\$	<b>115.07</b>
006740	<b>17.2 / 25 x 4</b>	Black	Distance Sleeve	100	C	\$	<b>143.12</b>
006740	<b>17.2 / 25 x 5</b>	Black	Distance Sleeve	1,652	C	\$	<b>72.65</b>
006740	<b>17.2 / 25 x 6</b>	Black	Distance Sleeve	343	C	\$	<b>67.39</b>
006740	<b>17.2 / 25 x 8</b>	Black	Distance Sleeve	626	C	\$	<b>120.90</b>
006740	<b>20.2 / 30 x 10</b>	Black	Distance Sleeve	327	C	\$	<b>101.10</b>
006740	<b>20.2 / 30 x 15</b>	Black	Distance Sleeve	450	C	\$	<b>159.43</b>
006740	<b>20.2 / 30 x 20</b>	Black	Distance Sleeve	610	C	\$	<b>162.33</b>
006740	<b>20.2 / 30 x 30</b>	Black	Distance Sleeve	388	C	\$	<b>196.85</b>
006740	<b>20.2 / 30 x 4</b>	Black	Distance Sleeve	340	C	\$	<b>80.41</b>
006740	<b>20.2 / 30 x 5</b>	Black	Distance Sleeve	988	C	\$	<b>66.63</b>
006740	<b>20.2 / 30 x 6</b>	Black	Distance Sleeve	1,200	C	\$	<b>59.51</b>
006740	<b>20.2 / 30 x 7</b>	Black	Distance Sleeve	500	C	\$	<b>89.85</b>
006740	<b>20.2 / 30 x 8</b>	Black	Distance Sleeve	421	C	\$	<b>140.58</b>
006740	<b>25.2 / 35 x 10</b>	Black	Distance Sleeve	1,125	C	\$	<b>142.16</b>
006740	<b>25.2 / 35 x 15</b>	Black	Distance Sleeve	154	C	\$	<b>137.06</b>
006740	<b>25.2 / 35 x 20</b>	Black	Distance Sleeve	573	C	\$	<b>207.62</b>
006740	<b>25.2 / 35 x 30</b>	Black	Distance Sleeve	446	C	\$	<b>288.62</b>
006740	<b>25.2 / 35 x 4</b>	Black	Distance Sleeve	718	C	\$	<b>79.74</b>
006740	<b>25.2 / 35 x 5</b>	Black	Distance Sleeve	215	C	\$	<b>124.44</b>
006740	<b>25.2 / 35 x 7</b>	Black	Distance Sleeve	342	C	\$	<b>114.33</b>
006740	<b>25.2 / 35 x 8</b>	Black	Distance Sleeve	144	C	\$	<b>111.52</b>
006740	<b>30.2 / 40 x 10</b>	Black	Distance Sleeve	367	C	\$	<b>196.87</b>
006740	<b>30.2 / 40 x 15</b>	Black	Distance Sleeve	189	C	\$	<b>204.54</b>
006740	<b>30.2 / 40 x 20</b>	Black	Distance Sleeve	1,595	C	\$	<b>303.68</b>
006740	<b>30.2 / 40 x 30</b>	Black	Distance Sleeve	200	C	\$	<b>284.48</b>

006740	<b>30.2 / 40 x 4</b>	Black	Distance Sleeve	176	C	\$	<b>143.72</b>
006740	<b>30.2 / 40 x 5</b>	Black	Distance Sleeve	654	C	\$	<b>212.40</b>
006740	<b>30.2 / 40 x 6</b>	Black	Distance Sleeve	188	C	\$	<b>166.08</b>
006740	<b>30.2 / 40 x 7</b>	Black	Distance Sleeve	100	C	\$	<b>112.42</b>
006740	<b>30.2 / 40 x 8</b>	Black	Distance Sleeve	120	C	\$	<b>183.52</b>
006740	<b>35.2 / 45 x 10</b>	Black	Distance Sleeve	150	C	\$	<b>204.13</b>
006740	<b>35.2 / 45 x 15</b>	Black	Distance Sleeve	232	C	\$	<b>470.73</b>
006740	<b>35.2 / 45 x 20</b>	Black	Distance Sleeve	50	C	\$	<b>248.88</b>
006740	<b>35.2 / 45 x 4</b>	Black	Distance Sleeve	200	C	\$	<b>325.27</b>
006740	<b>35.2 / 45 x 5</b>	Black	Distance Sleeve	159	C	\$	<b>157.35</b>
006740	<b>35.2 / 45 x 6</b>	Black	Distance Sleeve	430	C	\$	<b>180.74</b>
006740	<b>35.2 / 45 x 8</b>	Black	Distance Sleeve	84	C	\$	<b>182.77</b>
006740	<b>4.2 / 8 x 10</b>	Black	Distance Sleeve	200	C	\$	<b>53.13</b>
006740	<b>4.2 / 8 x 15</b>	Black	Distance Sleeve	461	C	\$	<b>170.57</b>
006740	<b>4.2 / 8 x 4</b>	Black	Distance Sleeve	1,500	C	\$	<b>55.14</b>
006740	<b>4.2 / 8 x 5</b>	Black	Distance Sleeve	267	C	\$	<b>94.88</b>
006740	<b>4.2 / 8 x 7</b>	Black	Distance Sleeve	414	C	\$	<b>137.36</b>
006740	<b>40.2 / 50 x 10</b>	Black	Distance Sleeve	230	C	\$	<b>136.84</b>
006740	<b>40.2 / 50 x 20</b>	Black	Distance Sleeve	350	C	\$	<b>633.59</b>
006740	<b>40.2 / 50 x 4</b>	Black	Distance Sleeve	390	C	\$	<b>606.15</b>
006740	<b>40.2 / 50 x 6</b>	Black	Distance Sleeve	168	C	\$	<b>718.36</b>
006740	<b>40.2 / 50 x 7</b>	Black	Distance Sleeve	161	C	\$	<b>257.33</b>
006740	<b>40.2 / 50 x 8</b>	Black	Distance Sleeve	937	C	\$	<b>432.17</b>
006740	<b>5.2 / 10 x 10</b>	Black	Distance Sleeve	580	C	\$	<b>39.66</b>
006740	<b>5.2 / 10 x 20</b>	Black	Distance Sleeve	200	C	\$	<b>219.97</b>
006740	<b>5.2 / 10 x 4</b>	Black	Distance Sleeve	2,071	C	\$	<b>41.19</b>
006740	<b>5.2 / 10 x 5</b>	Black	Distance Sleeve	1,742	C	\$	<b>37.62</b>
006740	<b>5.2 / 10 x 7</b>	Black	Distance Sleeve	200	C	\$	<b>72.88</b>
006740	<b>50.2 / 60 x 10</b>	Black	Distance Sleeve	30	C	\$	<b>996.71</b>
006740	<b>50.2 / 60 x 5</b>	Black	Distance Sleeve	25	C	\$	<b>1,665.58</b>
006740	<b>50.2 / 60 x 7</b>	Black	Distance Sleeve	262	C	\$	<b>538.08</b>
006740	<b>50.2 / 60 x 8</b>	Black	Distance Sleeve	361	C	\$	<b>424.07</b>
006740	<b>6.2 / 11 x 10</b>	Black	Distance Sleeve	1,811	C	\$	<b>42.64</b>
006740	<b>6.2 / 11 x 15</b>	Black	Distance Sleeve	2,825	C	\$	<b>43.86</b>
006740	<b>6.2 / 11 x 20</b>	Black	Distance Sleeve	990	C	\$	<b>81.05</b>
006740	<b>6.2 / 11 x 4</b>	Black	Distance Sleeve	6,538	C	\$	<b>46.90</b>
006740	<b>6.2 / 11 x 5</b>	Black	Distance Sleeve	1,681	C	\$	<b>47.58</b>
006740	<b>6.2 / 11 x 6</b>	Black	Distance Sleeve	5,895	C	\$	<b>38.68</b>
006740	<b>6.2 / 11 x 7</b>	Black	Distance Sleeve	1,081	C	\$	<b>44.63</b>
006740	<b>6.2 / 11 x 8</b>	Black	Distance Sleeve	1,359	C	\$	<b>42.75</b>
006740	<b>8.2 / 12 x 15</b>	Black	Distance Sleeve	890	C	\$	<b>33.75</b>
006740	<b>8.2 / 12 x 20</b>	Black	Distance Sleeve	273	C	\$	<b>150.41</b>
006740	<b>8.2 / 12 x 30</b>	Black	Distance Sleeve	1,872	C	\$	<b>167.18</b>
006740	<b>8.2 / 12 x 4</b>	Black	Distance Sleeve	471	C	\$	<b>39.04</b>
006740	<b>8.2 / 12 x 6</b>	Black	Distance Sleeve	834	C	\$	<b>31.96</b>
006740	<b>8.2 / 12 x 7</b>	Black	Distance Sleeve	537	C	\$	<b>45.80</b>
006740	<b>8.2 / 12 x 8</b>	Black	Distance Sleeve	3,386	C	\$	<b>41.25</b>

007085	<b>3 x 8</b>	SS - A2	Machine Screw - Slotted Flat Head - Din 963	900	C	\$	<b>2.05</b>
007110	<b>5 x 12</b>	SS - A2	Machine Screw - Slotted Oval Head - Din 964A	3,797	C	\$	<b>8.02</b>
007290	<b>5 x 8</b>	SS - A2	Male Weld Bolt - WELKO	1,400	C	\$	<b>13.93</b>
007290	<b>6 x 10</b>	SS - A2	Male Weld Bolt - WELKO	2,000	C	\$	<b>29.84</b>
007290	<b>6 x 15</b>	SS - A2	Male Weld Bolt - WELKO	2,379	C	\$	<b>27.38</b>
007290	<b>6 x 20</b>	SS - A2	Male Weld Bolt - WELKO	7,000	C	\$	<b>35.23</b>
007290	<b>6 x 25</b>	SS - A2	Male Weld Bolt - WELKO	3,040	C	\$	<b>39.54</b>
007290	<b>6 x 30</b>	SS - A2	Male Weld Bolt - WELKO	1,260	C	\$	<b>46.82</b>
007290	<b>8 x 12</b>	SS - A2	Male Weld Bolt - WELKO	1,320	C	\$	<b>55.19</b>
007290	<b>8 x 15</b>	SS - A2	Male Weld Bolt - WELKO	1,100	C	\$	<b>80.93</b>
007290	<b>8 x 20</b>	SS - A2	Male Weld Bolt - WELKO	1,120	C	\$	<b>92.05</b>
007290	<b>8 x 25</b>	SS - A2	Male Weld Bolt - WELKO	100	C	\$	<b>132.22</b>
007290	<b>8 x 35</b>	SS - A2	Male Weld Bolt - WELKO	1,000	C	\$	<b>150.07</b>
008370	<b>5 x 14</b>	Copper	Flat Round Head Rivet- Din 674	800	C	\$	<b>18.73</b>
009105	<b>No 119 531 00</b>	-	Solenoid Valve Assembly	27	EA	\$	<b>332.05</b>
009110	<b>230V/315W 500</b>	-	Cartridge Heater - Probag	76	EA	\$	<b>137.15</b>
009120	<b>4 x 15 / SW17</b>	Brass/N	Spacer	295	C	\$	<b>81.55</b>
009120	<b>4 x 5</b>	Brass/N	Spacer	390	C	\$	<b>222.96</b>
009120	<b>M4 / 6 x 10</b>	Copper	Weld Spacer w/ female thread - Welko	400	C	\$	<b>5.33</b>
009125	<b>230V/2000W</b>	-	Hot Plate -model #12.22453.022	25	EA	\$	<b>117.49</b>
009135	<b>16 x 9 Tall</b>	-	Articulated Foot - VG 503-PL	764	EA	\$	<b>24.72</b>
009140	<b>VG-504 M16</b>	-	Vibration Pad (Anti-skid)	1,100	EA	\$	<b>3.58</b>
009145	<b>1/4" FR-100</b>	-	Filter Regulator - Nr. 3283008	12	EA	\$	<b>128.56</b>
009150	<b>5</b>	Red	Red Cap	154	C	\$	<b>206.38</b>
009155	<b>16</b>	-	Star Grip VB.639/100FP-M16	53	C	\$	<b>771.73</b>
009160	<b>6 x 16</b>	-	Handle Elessa 21611, I.280/40p	21	C	\$	<b>219.85</b>
009250	<b>FH-M3-10-Z1</b>	-	Self Clinching Stud	1,540	C	\$	<b>4.40</b>
009250	<b>FH-M3-12-Z1</b>	-	Self Clinching Stud	1,374	C	\$	<b>4.78</b>
009250	<b>FH-M3-15-Z1</b>	-	Self Clinching Stud	2,000	C	\$	<b>4.99</b>
009250	<b>FH-M3-18-Z1</b>	-	Self Clinching Stud	1,400	C	\$	<b>5.14</b>
009250	<b>FH-M3-20-Z1</b>	-	Self Clinching Stud	1,500	C	\$	<b>7.10</b>
009250	<b>FH-M3-25-Z1</b>	-	Self Clinching Stud	1,500	C	\$	<b>11.63</b>
009250	<b>FH-M3-30-Z1</b>	-	Self Clinching Stud	9,178	C	\$	<b>8.48</b>
009250	<b>FH-M3-6-Z1</b>	-	Self Clinching Stud	2,000	C	\$	<b>4.99</b>

009250	<b>FH-M3-8-Z1</b>	-	Self Clinching Stud	2,000	C	\$	<b>4.23</b>
009250	<b>FH-M4-10-Z1</b>	-	Self Clinching Stud	2,078	C	\$	<b>4.78</b>
009250	<b>FH-M4-12-Z1</b>	-	Self Clinching Stud	3,039	C	\$	<b>4.99</b>
009250	<b>FH-M4-15-Z1</b>	-	Self Clinching Stud	2,030	C	\$	<b>5.50</b>
009250	<b>FH-M4-18-Z1</b>	-	Self Clinching Stud	1,523	C	\$	<b>5.73</b>
009250	<b>FH-M4-20-Z1</b>	-	Self Clinching Stud	1,504	C	\$	<b>5.92</b>
009250	<b>FH-M4-25-Z1</b>	-	Self Clinching Stud	1,900	C	\$	<b>6.92</b>
009250	<b>FH-M4-30-Z1</b>	-	Self Clinching Stud	8,302	C	\$	<b>8.72</b>
009250	<b>FH-M4-35-Z1</b>	-	Self Clinching Stud	1,500	C	\$	<b>7.05</b>
009250	<b>FH-M4-6-Z1</b>	-	Self Clinching Stud	1,492	C	\$	<b>4.59</b>
009250	<b>FH-M4-8-Z1</b>	-	Self Clinching Stud	2,795	C	\$	<b>4.70</b>
009250	<b>FH-M5-10-Z1</b>	-	Self Clinching Stud	3,658	C	\$	<b>5.61</b>
009250	<b>FH-M5-12-Z1</b>	-	Self Clinching Stud	3,750	C	\$	<b>6.02</b>
009250	<b>FH-M5-15-Z1</b>	-	Self Clinching Stud	2,500	C	\$	<b>6.36</b>
009250	<b>FH-M5-18-Z1</b>	-	Self Clinching Stud	1,955	C	\$	<b>6.91</b>
009250	<b>FH-M5-20-Z1</b>	-	Self Clinching Stud	1,500	C	\$	<b>8.04</b>
009250	<b>FH-M5-25-Z1</b>	-	Self Clinching Stud	2,649	C	\$	<b>7.10</b>
009250	<b>FH-M5-30-Z1</b>	-	Self Clinching Stud	1,415	C	\$	<b>11.06</b>
009250	<b>FH-M5-35-Z1</b>	-	Self Clinching Stud	1,596	C	\$	<b>12.50</b>
009250	<b>FH-M5-8-Z1</b>	-	Self Clinching Stud	2,048	C	\$	<b>7.40</b>
009250	<b>FH-M6-10-Z1</b>	-	Self Clinching Stud	1,324	C	\$	<b>8.22</b>
009250	<b>FH-M6-12-Z1</b>	-	Self Clinching Stud	2,300	C	\$	<b>9.29</b>
009250	<b>FH-M6-15-Z1</b>	-	Self Clinching Stud	6,000	C	\$	<b>10.32</b>
009250	<b>FH-M6-18-Z1</b>	-	Self Clinching Stud	1,500	C	\$	<b>11.23</b>
009250	<b>FH-M6-20-Z1</b>	-	Self Clinching Stud	750	C	\$	<b>12.80</b>
009250	<b>FH-M6-25-Z1</b>	-	Self Clinching Stud	2,200	C	\$	<b>12.88</b>
009250	<b>FH-M6-30-Z1</b>	-	Self Clinching Stud	1,000	C	\$	<b>16.86</b>
009250	<b>FH-M6-35-Z1</b>	-	Self Clinching Stud	1,500	C	\$	<b>20.69</b>
009250	<b>FH-M8-12-Z1</b>	-	Self Clinching Stud	1,314	C	\$	<b>16.96</b>
009250	<b>FH-M8-15-Z1</b>	-	Self Clinching Stud	2,000	C	\$	<b>12.76</b>
009250	<b>FH-M8-18-Z1</b>	-	Self Clinching Stud	1,470	C	\$	<b>15.88</b>
009250	<b>FH-M8-20-Z1</b>	-	Self Clinching Stud	2,318	C	\$	<b>17.03</b>
009250	<b>FH-M8-25-Z1</b>	-	Self Clinching Stud	3,000	C	\$	<b>20.90</b>
009250	<b>FH-M8-30-Z1</b>	-	Self Clinching Stud	2,400	C	\$	<b>22.96</b>
009250	<b>FH-M8-35-Z1</b>	-	Self Clinching Stud	1,672	C	\$	<b>26.23</b>
009253	<b>F-M5-2</b>	-	Flush Nut	500	C	\$	<b>24.06</b>
009254	<b>BSO-M5-8Z1</b>	Zinc	Self-Clinching Standoff	150	C	\$	<b>64.43</b>
009255	<b>FHA-M6-15</b>	Aluminu	Self Clinching Stud	1,300	C	\$	<b>14.83</b>
009255	<b>FHA-M6-20</b>	Aluminu	Self Clinching Stud	10,900	C	\$	<b>17.82</b>
009999	<b>10 x 100</b>	Black	Square Head Screw - Din 479	35	C	\$	<b>394.05</b>
009999	<b>12 x 22</b>	Plain	Pressure Piece	41	C	\$	<b>890.79</b>
009999	<b>14,2 x 17,9 x 1,5</b>	Copper	Seal Ring for Screw - Din 7603 Form A	171	C	\$	<b>11.75</b>
009999	<b>17 x 19</b>	SteelPla	Open End Wrench - Din 895	90	C	\$	<b>135.98</b>
009999	<b>30 x 32</b>	SteelPla	Open End Wrench - Din 895	60	C	\$	<b>1,213.10</b>

009999	<b>36 x 41</b>	SteelPla	Open End Wrench - Din 895	39	C	\$	<b>2,426.21</b>
009999	<b>4 x 30</b>	Plain	Heavy Coiled Spring Pin - 45288	1,778	C	\$	<b>11.42</b>
009999	<b>52</b>	Plain	Tolerance Ring - Star Type 0820	100	C	\$	<b>107.79</b>
009999	<b>6 x 5.7 x 12.6</b>	Plain	Grip Ring #DSHX-006	350	C	\$	<b>5.56</b>
009999	<b>6 x 8</b>	Brass	Socket Set Screw - Din 551	485	C	\$	<b>18.58</b>
009999	<b>8 x 15,3 x 1,3</b>	Plain	Retaining Washer - Starlock P-6704	200	C	\$	<b>8.96</b>
009999	<b>8 x 50</b>	Zinc	Hex Socket Set Screw - Din 916	500	C	\$	<b>16.58</b>
009999	<b>WR 30</b>	Plain	Snap Ring - Type WR (phosphatiert INA)	117	C	\$	<b>144.70</b>