



# Spahr Metric, Inc Fasteners & Steel

## Surplus Inventory - U.S. Standard Fasteners

### **Fasteners in this document:**

- Hex Cap Screw
- Hex Socket Head Cap Screw
- Socket Head Cap Screw (Various Types)
- Button Head Screw
- Socket Set Screw (Various Types)
- Socket Shoulder Screw (Various Types)
- Concrete Stud Anchor
- Machine Screw - Slotted Round Head

Spahr Metric Inc  
421 McGhee Rd  
Winchester, VA 22603

Phone: 800-858-3139  
Fax: 540-678-3819  
web: [www.spahrmetric.com](http://www.spahrmetric.com)

Sales: Office Direct —email: [info@spahrmetric.com](mailto:info@spahrmetric.com)  
Sales: Matt Mowery—email: [mmowery@spahrmetric.com](mailto:mmowery@spahrmetric.com)  
Sales: Tiffany Perez—email: [tperez@spahrmetric.com](mailto:tperez@spahrmetric.com)

Art#	Dimension	Finish	Description	InStock	UOM	\$ per 100 pcs
111010	1/2 - 13 x 1-1/4	Plain	Hex Cap Screw - Gr 5 - UNC	2,099	C	\$ 16.67
111010	1/2 - 13 x 1-3/4	Plain	Hex Cap Screw - Gr 5 - UNC	500	C	\$ 15.31
111010	1/2 - 13 x 2	Plain	Hex Cap Screw - Gr 5 - UNC	989	C	\$ 19.52
111010	1/2 - 13 x 3	Plain	Hex Cap Screw - Gr 5 - UNC	1,146	C	\$ 28.81
111010	1/2 - 13 x 3-1/2	Plain	Hex Cap Screw - Gr 5 - UNC	255	C	\$ 42.60
111010	1/2 - 13 x 4	Plain	Hex Cap Screw - Gr 5 - UNC	246	C	\$ 37.10
111010	1/2 - 13 x 4-1/2	Plain	Hex Cap Screw - Gr 5 - UNC	1,873	C	\$ 47.80
111010	1/2 - 13 x 5-1/2	Plain	Hex Cap Screw - Gr 5 - UNC	155	C	\$ 55.04
111010	1/2 - 13 x 6	Plain	Hex Cap Screw - Gr 5 - UNC	1,358	C	\$ 56.61
111010	1/4 - 20 x 1	Plain	Hex Cap Screw - Gr 5 - UNC	3,731	C	\$ 2.73
111010	1/4 - 20 x 1-1/2	Plain	Hex Cap Screw - Gr 5 - UNC	1,200	C	\$ 4.01
111010	1/4 - 20 x 1/2	Plain	Hex Cap Screw - Gr 5 - UNC	3,938	C	\$ 2.17
111010	3/8 - 16 x 1-1/2	Plain	Hex Cap Screw - Gr 5 - UNC	1,232	C	\$ 5.56
111010	3/8 - 16 x 1-3/4	Plain	Hex Cap Screw - Gr 5 - UNC	1,420	C	\$ 13.21
111010	3/8 - 16 x 2-1/2	Plain	Hex Cap Screw - Gr 5 - UNC	1,309	C	\$ 17.54
111010	3/8 - 16 x 2-1/4	Plain	Hex Cap Screw - Gr 5 - UNC	995	C	\$ 16.03
111010	3/8 - 16 x 3	Plain	Hex Cap Screw - Gr 5 - UNC	1,600	C	\$ 16.51
111010	3/8 - 16 x 3-1/2	Plain	Hex Cap Screw - Gr 5 - UNC	1,500	C	\$ 18.95
111010	3/8 - 16 x 4-1/2	Plain	Hex Cap Screw - Gr 5 - UNC	1,649	C	\$ 25.58
111010	5/16 - 18 x 1	Plain	Hex Cap Screw - Gr 5 - UNC	1,964	C	\$ 2.94
111010	5/16 - 18 x 1-1/4	Plain	Hex Cap Screw - Gr 5 - UNC	1,227	C	\$ 4.21
111010	5/16 - 18 x 1/2	Plain	Hex Cap Screw - Gr 5 - UNC	1,350	C	\$ 3.65
111010	5/8 - 11 x 1-1/4	Plain	Hex Cap Screw - Gr 5 - UNC	1,404	C	\$ 27.33
111012	1/2 - 13 x 1-1/2	Zinc	Hex Cap Screw - Gr 5 - UNC	202	C	\$ 25.73
111012	1/2 - 13 x 1-1/4	Zinc	Hex Cap Screw - Gr 5 - UNC	305	C	\$ 16.03
111012	1/2 - 13 x 2-1/4	Zinc	Hex Cap Screw - Gr 5 - UNC	300	C	\$ 32.34
111012	1/4 - 20 x 1-1/4	Zinc	Hex Cap Screw - Gr 5 - UNC	1,097	C	\$ 4.04
111012	3/8 - 16 x 1	Zinc	Hex Cap Screw - Gr 5 - UNC	1,020	C	\$ 7.21
111012	3/8 - 16 x 1-1/4	Zinc	Hex Cap Screw - Gr 5 - UNC	1,359	C	\$ 10.51
111012	3/8 - 16 x 1-3/4	Zinc	Hex Cap Screw - Gr 5 - UNC	467	C	\$ 14.33
111012	3/8 - 16 x 2	Zinc	Hex Cap Screw - Gr 5 - UNC	110	C	\$ 13.30
111012	3/8 - 16 x 2-1/4	Zinc	Hex Cap Screw - Gr 5 - UNC	150	C	\$ 14.52
111012	5/16 - 18 x 1-1/2	Zinc	Hex Cap Screw - Gr 5 - UNC	1,306	C	\$ 6.59
111012	5/16 - 18 x 1-3/4	Zinc	Hex Cap Screw - Gr 5 - UNC	1,325	C	\$ 9.00
111012	5/16 - 18 x 2	Zinc	Hex Cap Screw - Gr 5 - UNC	586	C	\$ 10.99
111012	5/16 - 18 x 3-1/4	Zinc	Hex Cap Screw - Gr 5 - UNC	550	C	\$ 10.23
111012	5/16 - 18 x 3/4	Zinc	Hex Cap Screw - Gr 5 - UNC	1,360	C	\$ 3.89
111012	5/16 - 18 x 5-1/2	Zinc	Hex Cap Screw - Gr 5 - UNC	200	C	\$ 25.59
111012	5/16 - 18 x 6	Zinc	Hex Cap Screw - Gr 5 - UNC	200	C	\$ 24.82
111012	5/8 - 11 x 2	Zinc	Hex Cap Screw - Gr 5 - UNC	1,243	C	\$ 35.97
111110	1/4 - 28 x 1-1/4	Plain	Hex Cap Screw - Gr 5 - UNF	2,417	C	\$ 3.63
111112	1 - 14 x 4-1/2	Zinc	Hex Cap Screw - Gr 5 - UNF	820	C	\$ 283.63

111200	<b>5/8 - 11 x 1</b>	Plain	Hex Cap Screw - Gr 5 - UNC - LH Thread	1,215	C	\$	<b>311.72</b>
112023	<b>3/8 - 16 x 1</b>	Yel-Zinc	Hex Cap Screw - Gr 8 - UNC	244	C	\$	<b>5.80</b>
112023	<b>5/16 - 18 x 2-1/2</b>	Yel-Zinc	Hex Cap Screw - Gr 8 - UNC	260	C	\$	<b>19.23</b>
112023	<b>5/16 - 18 x 7/8</b>	Yel-Zinc	Hex Cap Screw - Gr 8 - UNC	650	C	\$	<b>3.65</b>
210050	<b>1/2 - 13 x 1</b>	Plain	Socket Head Cap Screw - UNC	298	C	\$	<b>25.32</b>
210050	<b>1/2 - 13 x 2</b>	Plain	Socket Head Cap Screw - UNC	1,659	C	\$	<b>25.20</b>
210050	<b>1/2 - 13 x 2-1/4</b>	Plain	Socket Head Cap Screw - UNC	500	C	\$	<b>28.59</b>
210050	<b>1/2 - 13 x 3</b>	Plain	Socket Head Cap Screw - UNC	588	C	\$	<b>31.68</b>
210050	<b>1/4 - 20 x 1</b>	Plain	Socket Head Cap Screw - UNC	647	C	\$	<b>4.30</b>
210050	<b>1/4 - 20 x 1-1/2</b>	Plain	Socket Head Cap Screw - UNC - FT	750	C	\$	<b>4.33</b>
210050	<b>1/4 - 20 x 1-1/4</b>	Plain	Socket Head Cap Screw - UNC	1,181	C	\$	<b>5.06</b>
210050	<b>1/4 - 20 x 1-3/4</b>	Plain	Socket Head Cap Screw - UNC	1,330	C	\$	<b>5.31</b>
210050	<b>1/4 - 20 x 1/2</b>	Plain	Socket Head Cap Screw - UNC	1,644	C	\$	<b>3.06</b>
210050	<b>1/4 - 20 x 2</b>	Plain	Socket Head Cap Screw - UNC	2,955	C	\$	<b>4.82</b>
210050	<b>1/4 - 20 x 2-1/4</b>	Plain	Socket Head Cap Screw - UNC	2,073	C	\$	<b>10.32</b>
210050	<b>1/4 - 20 x 2-3/4</b>	Plain	Socket Head Cap Screw - UNC	1,810	C	\$	<b>10.25</b>
210050	<b>1/4 - 20 x 3</b>	Plain	Socket Head Cap Screw - UNC	2,716	C	\$	<b>9.29</b>
210050	<b>1/4 - 20 x 3-3/4</b>	Plain	Socket Head Cap Screw - UNC	720	C	\$	<b>14.84</b>
210050	<b>1/4 - 20 x 3/4</b>	Plain	Socket Head Cap Screw - UNC	1,375	C	\$	<b>2.82</b>
210050	<b>1/4 - 20 x 5/8</b>	Plain	Socket Head Cap Screw - UNC	3,053	C	\$	<b>3.53</b>
210050	<b>1/4 - 20 x 7/8</b>	Plain	Socket Head Cap Screw - UNC	2,400	C	\$	<b>3.72</b>
210050	<b>3 - 48 x 3/4</b>	Plain	Socket Head Cap Screw - UNC	2,125	C	\$	<b>10.49</b>
210050	<b>3/8 - 16 x 1</b>	Plain	Socket Head Cap Screw - UNC	3,185	C	\$	<b>7.76</b>
210050	<b>3/8 - 16 x 1-1/2</b>	Plain	Socket Head Cap Screw - UNC	1,502	C	\$	<b>8.51</b>
210050	<b>3/8 - 16 x 1-1/4</b>	Plain	Socket Head Cap Screw - UNC	1,000	C	\$	<b>13.55</b>
210050	<b>3/8 - 16 x 1-3/4</b>	Plain	Socket Head Cap Screw - UNC	462	C	\$	<b>15.41</b>
210050	<b>3/8 - 16 x 1-3/8</b>	Plain	Socket Head Cap Screw - UNC	400	C	\$	<b>40.08</b>
210050	<b>3/8 - 16 x 2</b>	Plain	Socket Head Cap Screw - UNC	650	C	\$	<b>13.12</b>
210050	<b>3/8 - 16 x 2-1/4</b>	Plain	Socket Head Cap Screw - UNC	810	C	\$	<b>12.83</b>
210050	<b>3/8 - 16 x 7/8</b>	Plain	Socket Head Cap Screw - UNC	1,758	C	\$	<b>9.84</b>
210050	<b>4 - 40 x 1</b>	Plain	Socket Head Cap Screw - UNC	2,300	C	\$	<b>5.13</b>
210050	<b>4 - 40 x 1-1/8</b>	Plain	Socket Head Cap Screw - UNC	4,000	C	\$	<b>6.48</b>
210050	<b>4 - 40 x 1/2</b>	Plain	Socket Head Cap Screw - UNC	1,386	C	\$	<b>2.17</b>
210050	<b>4 - 40 x 3/4</b>	Plain	Socket Head Cap Screw - UNC	2,100	C	\$	<b>4.32</b>
210050	<b>5 - 40 x 1</b>	Plain	Socket Head Cap Screw - UNC	2,200	C	\$	<b>4.94</b>
210050	<b>5 - 40 x 1-1/2</b>	Plain	Socket Head Cap Screw - UNC	300	C	\$	<b>27.95</b>
210050	<b>5/16 - 18 x 1</b>	Plain	Socket Head Cap Screw - UNC	360	C	\$	<b>7.07</b>
210050	<b>5/16 - 18 x 1-1/2</b>	Plain	Socket Head Cap Screw - UNC	938	C	\$	<b>8.57</b>
210050	<b>5/16 - 18 x 1-1/4</b>	Plain	Socket Head Cap Screw - UNC	941	C	\$	<b>7.03</b>
210050	<b>5/16 - 18 x 1-3/4</b>	Plain	Socket Head Cap Screw - UNC	1,610	C	\$	<b>9.32</b>
210050	<b>5/16 - 18 x 2</b>	Plain	Socket Head Cap Screw - UNC	424	C	\$	<b>10.35</b>
210050	<b>5/16 - 18 x 2-3/4</b>	Plain	Socket Head Cap Screw - UNC	4,211	C	\$	<b>13.59</b>
210050	<b>5/16 - 18 x 3/4</b>	Plain	Socket Head Cap Screw - UNC	1,022	C	\$	<b>5.47</b>
210050	<b>5/16 - 18 x 4</b>	Plain	Socket Head Cap Screw - UNC	3,939	C	\$	<b>19.49</b>
210050	<b>5/16 - 18 x 7/8</b>	Plain	Socket Head Cap Screw - UNC	4,200	C	\$	<b>5.14</b>
210050	<b>5/8 - 11 x 1-1/4</b>	Plain	Socket Head Cap Screw - UNC	100	C	\$	<b>45.15</b>

210050	<b>6 - 32 x 1</b>	Plain	Socket Head Cap Screw - UNC	1,900	C	\$	<b>2.72</b>
210050	<b>6 - 32 x 1-1/2</b>	Plain	Socket Head Cap Screw - UNC	2,100	C	\$	<b>4.28</b>
210050	<b>6 - 32 x 1/2</b>	Plain	Socket Head Cap Screw - UNC	1,392	C	\$	<b>1.93</b>
210050	<b>8 - 32 x 1</b>	Plain	Socket Head Cap Screw - UNC	1,600	C	\$	<b>3.73</b>
210050	<b>8 - 32 x 1-1/4</b>	Plain	Socket Head Cap Screw - UNC	1,200	C	\$	<b>5.04</b>
210050	<b>8 - 32 x 1-3/4</b>	Plain	Socket Head Cap Screw - UNC	2,480	C	\$	<b>3.56</b>
210050	<b>8 - 32 x 1/2</b>	Plain	Socket Head Cap Screw - UNC	3,672	C	\$	<b>2.58</b>
210050	<b>8 - 32 x 5/8</b>	Plain	Socket Head Cap Screw - UNC	6,493	C	\$	<b>2.68</b>
210052	<b>5/16 - 18 x 4</b>	Zinc	Socket Head Cap Screw - UNC	5,800	C	\$	<b>38.27</b>
210150	<b>1/4 - 28 x 1-3/8</b>	Plain	Socket Head Cap Screw - UNF	1,550	C	\$	<b>22.17</b>
210150	<b>1/4 - 28 x 3/4</b>	Plain	Socket Head Cap Screw - UNF	1,700	C	\$	<b>3.03</b>
210150	<b>10 - 32 x 1</b>	Plain	Socket Head Cap Screw - UNF	1,100	C	\$	<b>3.47</b>
210150	<b>10 - 32 x 1-1/2</b>	Plain	Socket Head Cap Screw - UNF	1,311	C	\$	<b>5.30</b>
210150	<b>10 - 32 x 1-1/4</b>	Plain	Socket Head Cap Screw - UNF	1,074	C	\$	<b>3.39</b>
210150	<b>10 - 32 x 1-3/4</b>	Plain	Socket Head Cap Screw - UNF	1,698	C	\$	<b>4.33</b>
210150	<b>10 - 32 x 1/2</b>	Plain	Socket Head Cap Screw - UNF	1,600	C	\$	<b>2.32</b>
210150	<b>10 - 32 x 2-1/2</b>	Plain	Socket Head Cap Screw - UNF	1,237	C	\$	<b>10.89</b>
210150	<b>10 - 32 x 2-3/4</b>	Plain	Socket Head Cap Screw - UNF	175	C	\$	<b>33.09</b>
210150	<b>10 - 32 x 3/4</b>	Plain	Socket Head Cap Screw - UNF	1,700	C	\$	<b>2.86</b>
210150	<b>10 - 32 x 5/8</b>	Plain	Socket Head Cap Screw - UNF	1,500	C	\$	<b>2.49</b>
210150	<b>3/8 - 24 x 1</b>	Plain	Socket Head Cap Screw - UNF	7,490	C	\$	<b>12.56</b>
210150	<b>5/16 - 24 x 1</b>	Plain	Socket Head Cap Screw - UNF	1,650	C	\$	<b>7.01</b>
210150	<b>5/16 - 24 x 1-1/4</b>	Plain	Socket Head Cap Screw - UNF	866	C	\$	<b>6.42</b>
210150	<b>5/16 - 24 x 1-3/4</b>	Plain	Socket Head Cap Screw - UNF - FT	200	C	\$	<b>85.40</b>
210150	<b>5/16 - 24 x 7/8</b>	Plain	Socket Head Cap Screw - UNF	2,400	C	\$	<b>6.76</b>
210150	<b>7/16 - 20 x 2</b>	Plain	Socket Head Cap Screw - UNF	1,606	C	\$	<b>19.71</b>
212150	<b>10 - 32 x 1</b>	Plain	Socket Low Head Cap Screw - UNF	300	C	\$	<b>19.92</b>
212150	<b>10 - 32 x 1/2</b>	Plain	Socket Low Head Cap Screw - UNF	2,100	C	\$	<b>12.44</b>
220050	<b>1/4 - 20 x 1</b>	Plain	Socket Flat Head Screw - UNC	2,485	C	\$	<b>3.92</b>
220050	<b>1/4 - 20 x 1/2</b>	Plain	Socket Flat Head Screw - UNC	3,656	C	\$	<b>3.61</b>
220050	<b>1/4 - 20 x 3/4</b>	Plain	Socket Flat Head Screw - UNC	3,575	C	\$	<b>3.18</b>
220050	<b>3/8 - 16 x 1-1/4</b>	Plain	Socket Flat Head Screw - UNC	576	C	\$	<b>10.66</b>
220050	<b>5/16 - 18 x 1</b>	Plain	Socket Flat Head Screw - UNC	925	C	\$	<b>6.94</b>
220050	<b>5/16 - 18 x 1-1/4</b>	Plain	Socket Flat Head Screw - UNC	950	C	\$	<b>6.97</b>
220050	<b>5/8 - 11 x 1-3/4</b>	Plain	Socket Flat Head Screw - UNC	300	C	\$	<b>39.68</b>
220050	<b>6 - 32 x 2</b>	Plain	Socket Flat Head Screw - UNC	2,400	C	\$	<b>28.62</b>
220050	<b>8 - 32 x 1/2</b>	Plain	Socket Flat Head Screw - UNC	600	C	\$	<b>3.15</b>
220050	<b>8 - 32 x 1/4</b>	Plain	Socket Flat Head Screw - UNC	3,914	C	\$	<b>4.04</b>
220150	<b>1/4 - 28 x 5/8</b>	Plain	Socket Flat Head Screw - UNF	1,700	C	\$	<b>4.21</b>
220150	<b>10 - 32 x 1-1/2</b>	Plain	Socket Flat Head Screw - UNF	1,432	C	\$	<b>7.29</b>
220150	<b>10 - 32 x 1-1/4</b>	Plain	Socket Flat Head Screw - UNF	3,650	C	\$	<b>4.27</b>
220150	<b>10 - 32 x 3/4</b>	Plain	Socket Flat Head Screw - UNF	200	C	\$	<b>3.37</b>
220150	<b>10 - 32 x 3/8</b>	Plain	Socket Flat Head Screw - UNF	1,180	C	\$	<b>2.77</b>

220150	<b>10 - 32 x 5/8</b>	Plain	Socket Flat Head Screw - UNF	2,900	C	\$	<b>3.78</b>
230050	<b>1/4 - 20 x 1</b>	Plain	Button Head Screw - UNC	3,100	C	\$	<b>3.85</b>
230050	<b>1/4 - 20 x 1-1/2</b>	Plain	Button Head Screw - UNC	6,475	C	\$	<b>3.46</b>
230050	<b>1/4 - 20 x 1-1/4</b>	Plain	Button Head Screw - UNC	2,243	C	\$	<b>4.09</b>
230050	<b>1/4 - 20 x 1/2</b>	Plain	Button Head Screw - UNC	1,408	C	\$	<b>2.00</b>
230050	<b>1/4 - 20 x 3/4</b>	Plain	Button Head Screw - UNC	2,234	C	\$	<b>2.63</b>
230050	<b>1/4 - 20 x 3/8</b>	Plain	Button Head Screw - UNC	1,196	C	\$	<b>3.72</b>
230050	<b>1/4 - 20 x 5/8</b>	Plain	Button Head Screw - UNC	1,874	C	\$	<b>2.20</b>
230050	<b>10 - 24 x 3/4</b>	Plain	Button Head Screw - UNC	400	C	\$	<b>2.63</b>
230050	<b>10 - 24 x 3/8</b>	Plain	Button Head Screw - UNC	2,826	C	\$	<b>1.94</b>
230050	<b>3/8 - 16 x 1-3/4</b>	Plain	Button Head Screw - UNC	400	C	\$	<b>19.52</b>
230050	<b>3/8 - 16 x 3/4</b>	Plain	Button Head Screw - UNC	1,850	C	\$	<b>5.35</b>
230050	<b>4 - 40 x 3/8</b>	Plain	Button Head Screw - UNC	3,100	C	\$	<b>2.86</b>
230050	<b>5/16 - 18 x 1</b>	Plain	Button Head Screw - UNC	1,625	C	\$	<b>4.82</b>
230050	<b>5/16 - 18 x 1-1/4</b>	Plain	Button Head Screw - UNC	847	C	\$	<b>5.16</b>
230050	<b>5/16 - 18 x 3/4</b>	Plain	Button Head Screw - UNC	844	C	\$	<b>4.85</b>
230050	<b>6 - 32 x 1</b>	Plain	Button Head Screw - UNC	1,200	C	\$	<b>2.20</b>
230050	<b>6 - 32 x 1/2</b>	Plain	Button Head Screw - UNC	1,000	C	\$	<b>1.75</b>
230050	<b>6 - 32 x 3/8</b>	Plain	Button Head Screw - UNC	5,700	C	\$	<b>2.84</b>
230050	<b>8 - 32 x 1/2</b>	Plain	Button Head Screw - UNC	966	C	\$	<b>1.60</b>
230050	<b>8 - 32 x 1/4</b>	Plain	Button Head Screw - UNC	1,500	C	\$	<b>2.44</b>
230050	<b>8 - 32 x 3/16</b>	Plain	Button Head Screw - UNC	1,035	C	\$	<b>4.33</b>
230050	<b>8 - 32 x 3/4</b>	Plain	Button Head Screw - UNC	2,072	C	\$	<b>2.13</b>
230050	<b>8 - 32 x 3/8</b>	Plain	Button Head Screw - UNC	611	C	\$	<b>2.15</b>
230050	<b>8 - 32 x 5/8</b>	Plain	Button Head Screw - UNC	1,800	C	\$	<b>2.29</b>
230150	<b>10 - 32 x 1</b>	Plain	Button Head Screw - UNF	1,850	C	\$	<b>3.47</b>
230150	<b>10 - 32 x 1-1/4</b>	Plain	Button Head Screw - UNF	2,200	C	\$	<b>3.96</b>
230150	<b>10 - 32 x 1/2</b>	Plain	Button Head Screw - UNF	1,900	C	\$	<b>1.96</b>
230150	<b>10 - 32 x 1/4</b>	Plain	Button Head Screw - UNF	1,975	C	\$	<b>2.27</b>
230150	<b>10 - 32 x 3/4</b>	Plain	Button Head Screw - UNF	1,415	C	\$	<b>2.80</b>
230150	<b>10 - 32 x 3/8</b>	Plain	Button Head Screw - UNF	1,566	C	\$	<b>2.16</b>
230150	<b>10 - 32 x 5/8</b>	Plain	Button Head Screw - UNF	4,865	C	\$	<b>2.68</b>
230150	<b>3/8 - 24 x 1/2</b>	Plain	Button Head Screw - UNF	400	C	\$	<b>10.22</b>
230150	<b>5/16 - 24 x 1</b>	Plain	Button Head Screw - UNF	400	C	\$	<b>10.39</b>
230159	<b>10 - 32 x 3/4</b>	Nylon	Button Head Screw - UNF	3,944	C	\$	<b>2.49</b>
260050	<b>1/4 - 20 x 1-3/4</b>	Plain	Socket Set Screw Cup - UNC	2,005	C	\$	<b>13.59</b>
260050	<b>1/4 - 20 x 1/4</b>	Plain	Socket Set Screw Cup - UNC	4,900	C	\$	<b>1.46</b>
260050	<b>1/4 - 20 x 3/16</b>	Plain	Socket Set Screw Cup - UNC	800	C	\$	<b>1.84</b>
260050	<b>1/4 - 20 x 3/8</b>	Plain	Socket Set Screw Cup - UNC	425	C	\$	<b>2.51</b>
260050	<b>3/8 - 16 x 3/4</b>	Plain	Socket Set Screw Cup - UNC	200	C	\$	<b>9.05</b>
260050	<b>5/16 - 18 x 3/8</b>	Plain	Socket Set Screw Cup - UNC	5,375	C	\$	<b>2.18</b>
260050	<b>6 - 32 x 3/16</b>	Plain	Socket Set Screw Cup - UNC	8,200	C	\$	<b>0.96</b>
260050	<b>8 - 32 x 1/4</b>	Plain	Socket Set Screw Cup - UNC	4,900	C	\$	<b>1.82</b>
260050	<b>8 - 32 x 1/8</b>	Plain	Socket Set Screw Cup - UNC	4,700	c	\$	<b>1.57</b>

260150	<b>1/4 - 28 x 3/8</b>	Plain	Socket Set Screw Cup - UNF	1,375	C	\$	<b>2.05</b>
260150	<b>10 - 32 x 1/2</b>	Plain	Socket Set Screw Cup - UNF	6,028	C	\$	<b>1.17</b>
260150	<b>10 - 32 x 1/8</b>	Plain	Socket Set Screw Cup - UNF	2,850	C	\$	<b>1.74</b>
260150	<b>10 - 32 x 3/16</b>	Plain	Socket Set Screw Cup - UNF	731	C	\$	<b>1.79</b>
260150	<b>10 - 32 x 3/8</b>	Plain	Socket Set Screw Cup - UNF	175	C	\$	<b>2.99</b>
260150	<b>3/8 - 24 x 3/4</b>	Plain	Socket Set Screw Cup - UNF	200	C	\$	<b>13.74</b>
260150	<b>5/16 - 24 x 1/2</b>	Plain	Socket Set Screw Cup - UNF	4,915	C	\$	<b>3.70</b>
262050	<b>1/4 - 20 x 1/2</b>	Plain	Socket Set Screw Cone - UNC	2,350	C	\$	<b>8.69</b>
262050	<b>1/4 - 20 x 1/4</b>	Plain	Socket Set Screw Cone - UNC	4,800	C	\$	<b>3.97</b>
262050	<b>1/4 - 20 x 3/8</b>	Plain	Socket Set Screw Cone - UNC	1,500	C	\$	<b>5.09</b>
262050	<b>10 - 24 x 1/4</b>	Plain	Socket Set Screw Cone - UNC	1,200	C	\$	<b>4.82</b>
262150	<b>1/4 - 28 x 1</b>	Plain	Socket Set Screw Cone - UNF	500	C	\$	<b>32.73</b>
262150	<b>1/4 - 28 x 1/2</b>	Plain	Socket Set Screw Cone - UNF	8,691	C	\$	<b>7.22</b>
270050	<b>1/4 - 20 x 1/2</b>	Plain	Socket Set Screw Flat - UNC	325	C	\$	<b>7.29</b>
270050	<b>6 - 32 x 1/8</b>	Plain	Socket Set Screw Flat - UNC	125	C	\$	<b>4.73</b>
271150	<b>1/4 - 28 x 1/4</b>	Plain	Socket Set Screw Flat - UNF	2,900	C	\$	<b>2.94</b>
271150	<b>1/4 - 28 x 3/8</b>	Plain	Socket Set Screw Flat - UNF	4,541	C	\$	<b>3.08</b>
271150	<b>5/16 - 24 x 5/16</b>	Plain	Socket Set Screw Flat - UNF	590	C	\$	<b>6.42</b>
280050	<b>1/2 x 1</b>	Plain	Socket Shoulder Screw (Stripper) - UNC	1,000	C	\$	<b>54.61</b>
280050	<b>1/2 x 5/8</b>	Plain	Socket Shoulder Screw (Stripper) - UNC	863	C	\$	<b>46.65</b>
280050	<b>1/4 x 1/2</b>	Plain	Socket Shoulder Screw (Stripper) - UNC	2,036	C	\$	<b>25.90</b>
280050	<b>3/8 x 1</b>	Plain	Socket Shoulder Screw (Stripper) - UNC	1,500	C	\$	<b>31.68</b>
280050	<b>3/8 x 1-1/2</b>	Plain	Socket Shoulder Screw (Stripper) - UNC	1,300	C	\$	<b>48.64</b>
280050	<b>3/8 x 1-3/4</b>	Plain	Socket Shoulder Screw (Stripper) - UNC	1,200	C	\$	<b>51.60</b>
280050	<b>3/8 x 1/2</b>	Plain	Socket Shoulder Screw (Stripper) - UNC	800	C	\$	<b>37.53</b>
280050	<b>3/8 x 2</b>	Plain	Socket Shoulder Screw (Stripper) - UNC	1,000	C	\$	<b>46.04</b>
280050	<b>3/8 x 2-1/2</b>	Plain	Socket Shoulder Screw (Stripper) - UNC	1,600	C	\$	<b>53.94</b>
280050	<b>3/8 x 2-1/4</b>	Plain	Socket Shoulder Screw (Stripper) - UNC	800	C	\$	<b>40.45</b>
280050	<b>3/8 x 3</b>	Plain	Socket Shoulder Screw (Stripper) - UNC	100	C	\$	<b>70.19</b>
280050	<b>3/8 x 3/4</b>	Plain	Socket Shoulder Screw (Stripper) - UNC	1,365	C	\$	<b>39.73</b>
280050	<b>3/8 x 5/8</b>	Plain	Socket Shoulder Screw (Stripper) - UNC	603	C	\$	<b>32.51</b>
330052	<b>1/2 x 7</b>	Zinc	Concrete Stud Anchor	532	C	\$	<b>84.56</b>
330052	<b>3/4 x 4-1/4</b>	Zinc	Concrete Stud Anchor	145	C	\$	<b>139.80</b>
494054	<b>1/4</b>	SS - A2	<u>Push On Retainer - P/N - 85-34-201-20 - Southco</u>	1,605	C	\$	<b>9.89</b>
514052	<b>6 - 32 x 1</b>	Zinc	Machine Screw - Phillips Pan Head	8,000	C	\$	<b>0.88</b>
514052	<b>6 - 32 x 1/2</b>	Zinc	Machine Screw - Phillips Pan Head	11,162	C	\$	<b>0.55</b>
517052	<b>1/4 - 20 x 1</b>	Zinc	Machine Screw - Slotted Round Head	7,076	C	\$	<b>1.39</b>
517052	<b>4 - 40 x 1/4</b>	Zinc	Machine Screw - Slotted Round Head	900	C	\$	<b>3.78</b>

517052	<b>5/16 - 18 x 1-1/2</b>	Zinc	Machine Screw - Slotted Round Head	700	C	\$	<b>5.90</b>
532052	<b>8 x 5/8</b>	Zinc	Tapping Screw - Phillips Pan Head	9,900	C	\$	<b>0.81</b>
551042	<b>1/4 - 20 x 1/2</b>	Zinc	Thread Rolling Screw - Indented Hex Washer	6,796	C	\$	<b>3.11</b>
610050	<b>1/4 x 1</b>	Plain	Spring Pin - SPP-250-1000	655	C	\$	<b>4.09</b>
610050	<b>1/4 x 1-1/4</b>	Plain	Spring Pin - SPP-250-1250	1,450	C	\$	<b>4.25</b>
610050	<b>1/4 x 1-3/4</b>	Plain	Spring Pin - SPP-250-1750	750	C	\$	<b>6.79</b>
610050	<b>1/4 x 4-1/2</b>	Plain	Spring Pin	820	C	\$	<b>62.61</b>
610050	<b>1/8 x 1/2</b>	Plain	Spring Pin - SPP-125-0500	596	C	\$	<b>1.34</b>
610050	<b>1/8 x 3/4</b>	Plain	Spring Pin - SPP-125-0750	1,650	C	\$	<b>1.29</b>
610050	<b>1/8 x 5/8</b>	Plain	Spring Pin - SPP-125-0625	1,000	C	\$	<b>1.63</b>
610050	<b>3/16 x 1</b>	Plain	Spring Pin - SPP-187-1000	1,800	C	\$	<b>2.48</b>
610050	<b>3/16 x 1-1/2</b>	Plain	Spring Pin - SPP-187-1500	1,600	C	\$	<b>4.06</b>
610050	<b>3/16 x 1-1/4</b>	Plain	Spring Pin - SPP-187-1250	307	C	\$	<b>12.62</b>
615050	<b>1/4 x 1</b>	Plain	Spring Pin Coiled - SPC-250-1000	462	C	\$	<b>18.85</b>
615050	<b>1/8 x 1</b>	Plain	Spring Pin Coiled - SPC-125-1000	1,692	C	\$	<b>6.50</b>
615050	<b>1/8 x 1-1/4</b>	Plain	Spring Pin Coiled - SPC-125-1250	500	C	\$	<b>7.95</b>
615050	<b>3/16 x 1-1/2</b>	Plain	Spring Pin Coiled - SPC-187-1500	200	C	\$	<b>17.49</b>
617050	<b>1/8 x 1/2</b>	Plain	Woodruff Key - WKC - 003	500	C	\$	<b>7.36</b>
617150	<b>3/16 x 1/2</b>	Plain	Machine Key Form A - Round	825	C	\$	<b>40.37</b>
617150	<b>3/8 x 2</b>	Plain	Machine Key Form A - Round	2,166	C	\$	<b>62.73</b>
618050	<b>1/4 x 3/4</b>	Plain	Clevis Pin	6,200	C	\$	<b>6.21</b>
618052	<b>1/4 x 3/4</b>	Zinc	Clevis Pin	1,200	C	\$	<b>10.01</b>
640058	<b>1/8 x 3/8</b>	Aluminum	Rivet (Aluminum Mandrel)	9,600	C	\$	<b>1.51</b>
940152	<b>1/4 - 28</b>	Zinc	A1792 - Grease Fitting - Straight - UNF	1,200	C	\$	<b>23.34</b>
941152	<b>1/4 - 28</b>	Zinc	H1637 - Grease Fitting - 45 - UNF	600	C	\$	<b>29.69</b>
942152	<b>1/4 - 28</b>	Zinc	H1911 - Grease Fitting - 90 - UNF	830	C	\$	<b>32.74</b>
943052	<b>3/16</b>	Zinc	H1646 - Grease Fitting - 65 - UNC	546	C	\$	<b>31.18</b>