



# SPAHR METRIC, INC.

YOUR DIRECT SOURCE FOR METRIC STEEL & FASTENERS


## Metric Cold Finished Square Bar

Material Available: CARBON STEEL - EN 10277-2 / EN 10278

Werksoff 1.0718 Tol. h11/h12 - 12L14

Available in 3m and 6m lengths

All sizes shown may not be in stock, please call us for more information



Description	Width - A	Height - B	Weight	Finish	Length Options	
Metric Cold Finished Square Bar	4mm	4 mm	.13 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	5 mm	5 mm	.2 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	6 mm	6 mm	.28 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	7 mm	7 mm	.39 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	8 mm	8 mm	.5 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	9 mm	9 mm	.64 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	10 mm	10 mm	.79 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	11 mm	11 mm	.9 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	12 mm	12 mm	1.13 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	13 mm	13 mm	1.35 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	14 mm	14 mm	1.54 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	15 mm	15 mm	1.77 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	16 mm	16 mm	2.01 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	17 mm	17 mm	2.27 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	18 mm	18 mm	2.54 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	19 mm	19 mm	2.83 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	20 mm	20 mm	3.14 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	22 mm	22 mm	3.8 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	24 mm	24 mm	4.52 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	25 mm	25 mm	4.91 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	26 mm	26 mm	5.31 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter

Metric Cold Finished Square Bar	27 mm	27 mm	5.85 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	28 mm	28 mm	6.15 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	30 mm	30 mm	7.07 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	32 mm	32 mm	8.04 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	34 mm	34 mm	9.07 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	35 mm	35 mm	9.62 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	36 mm	36 mm	10.17 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	38 mm	38 mm	11.34 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	40 mm	40 mm	12.56 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	45 mm	45 mm	15.9 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	50 mm	50 mm	19.63 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	55 mm	55 mm	23.75 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	60 mm	60 mm	28.26 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	65 mm	65 mm	33.17 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	70 mm	70 mm	38.47 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	75 mm	75 mm	44.16 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	80 mm	80 mm	50.24 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	85 mm	85 mm	56.72 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	90 mm	90 mm	63.59 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	100 mm	100 mm	78.5 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter
Metric Cold Finished Square Bar	120 mm	120 mm	113.4 kg/m	Carbon Steel EN 10277-2 / EN 10278 - h11/h12 - 12L14	3 meter	6 meter

Spahr Metric Inc	Phone: 800-858-3139	Matthew Mowery - email: mmowery@spahrmetric.com
421 McGhee Rd	Fax: 540-678-3819	Tiffany Perez - email: tperez@spahrmetric.com
Winchester, VA 22603	web: www.spahrmetric.com	Chantal Aeschbach - email: caeschbach@spahrmetric.com



# SPAHR METRIC, INC.

YOUR DIRECT SOURCE FOR METRIC STEEL & FASTENERS


## Metric Cold Finished Square Bar

Material Available: CARBON STEEL - S235JRC+C - EN 10277-2/ EN 10278

Werksoff 1.0122 Tolerance h11/12 - 1008-1018

Available in 3m and 6m lengths

All sizes shown may not be in stock, please call us for more information



Description	Width - A	Height - B	Weight	Finish	Length Options	
Metric Cold Finished Square Bar	4mm	4 mm	.13 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	5 mm	5 mm	.2 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	6 mm	6 mm	.28 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	7 mm	7 mm	.39 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	8 mm	8 mm	.5 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	9 mm	9 mm	.64 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	10 mm	10 mm	.79 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	11 mm	11 mm	.9 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	12 mm	12 mm	1.13 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	13 mm	13 mm	1.35 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	14 mm	14 mm	1.54 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	15 mm	15 mm	1.77 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	16 mm	16 mm	2.01 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	17 mm	17 mm	2.27 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	18 mm	18 mm	2.54 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	19 mm	19 mm	2.83 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	20 mm	20 mm	3.14 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	22 mm	22 mm	3.8 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	24 mm	24 mm	4.52 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	25 mm	25 mm	4.91 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	26 mm	26 mm	5.31 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter

Metric Cold Finished Square Bar	27 mm	27 mm	5.85 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	28 mm	28 mm	6.15 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	30 mm	30 mm	7.07 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	32 mm	32 mm	8.04 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	34 mm	34 mm	9.07 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	35 mm	35 mm	9.62 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	36 mm	36 mm	10.17 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	38 mm	38 mm	11.34 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	40 mm	40 mm	12.56 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	45 mm	45 mm	15.9 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	50 mm	50 mm	19.63 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	55 mm	55 mm	23.75 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	60 mm	60 mm	28.26 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	65 mm	65 mm	33.17 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	70 mm	70 mm	38.47 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	75 mm	75 mm	44.16 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	80 mm	80 mm	50.24 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	85 mm	85 mm	56.72 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	90 mm	90 mm	63.59 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	100 mm	100 mm	78.5 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter
Metric Cold Finished Square Bar	120 mm	120 mm	113.4 kg/m	Carbon Steel S235JRC+C - tol h11/12 - 1008-1018	3 meter	6 meter

Spahr Metric Inc	Phone: 800-858-3139	Matthew Mowery - email: mmowery@spahrmetric.com
421 McGhee Rd	Fax: 540-678-3819	Tiffany Perez - email: tperez@spahrmetric.com
Winchester, VA 22603	web: www.spahrmetric.com	Chantal Aeschbach - email: caeschbach@spahrmetric.com



# SPAHR METRIC, INC.

YOUR DIRECT SOURCE FOR METRIC STEEL & FASTENERS


## Metric Stainless Steel Square Bar

Material Available: Stainless Steel - X2CrNi18-10 - EN 10277-2/ EN 10278

Werksoff 1.4301 Tolerance h11/12 - 304

Available in 3m and 6m lengths

All sizes shown may not be in stock, please call us for more information



Description	Width - A	Height - B	Weight	Finish	Length Options	
Metric Stainless Steel Square Bar	4mm	4 mm	.13 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	5 mm	5 mm	.2 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	6 mm	6 mm	.28 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	7 mm	7 mm	.39 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	8 mm	8 mm	.5 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	9 mm	9 mm	.64 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	10 mm	10 mm	.79 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	11 mm	11 mm	.9 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	12 mm	12 mm	1.13 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	13 mm	13 mm	1.35 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	14 mm	14 mm	1.54 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	15 mm	15 mm	1.77 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	16 mm	16 mm	2.01 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	17 mm	17 mm	2.27 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	18 mm	18 mm	2.54 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	19 mm	19 mm	2.83 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	20 mm	20 mm	3.14 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	22 mm	22 mm	3.8 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	24 mm	24 mm	4.52 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	25 mm	25 mm	4.91 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	26 mm	26 mm	5.31 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter

Metric Stainless Steel Square Bar	27 mm	27 mm	5.85 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	28 mm	28 mm	6.15 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	30 mm	30 mm	7.07 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	32 mm	32 mm	8.04 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	34 mm	34 mm	9.07 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	35 mm	35 mm	9.62 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	36 mm	36 mm	10.17 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	38 mm	38 mm	11.34 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	40 mm	40 mm	12.56 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	45 mm	45 mm	15.9 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	50 mm	50 mm	19.63 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	55 mm	55 mm	23.75 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	60 mm	60 mm	28.26 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	65 mm	65 mm	33.17 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	70 mm	70 mm	38.47 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	75 mm	75 mm	44.16 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	80 mm	80 mm	50.24 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	85 mm	85 mm	56.72 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	90 mm	90 mm	63.59 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	100 mm	100 mm	78.5 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter
Metric Stainless Steel Square Bar	120 mm	120 mm	113.4 kg/m	Stainless Steel X2CrNi18-10 - tol h11/12 - 304	3 meter	6 meter

Spahr Metric Inc  
421 McGhee Rd  
Winchester, VA 22603

Phone: 800-858-3139

Fax: 540-678-3819

web: [www.spahrmetric.com](http://www.spahrmetric.com)

Matthew Mowery - email: [mmowery@spahrmetric.com](mailto:mmowery@spahrmetric.com)

Tiffany Perez - email: [tperez@spahrmetric.com](mailto:tperez@spahrmetric.com)

Chantal Aeschbach - email: [caeschbach@spahrmetric.com](mailto:caeschbach@spahrmetric.com)